

Liste totale des espèces inventoriées sur la commune de Presles

Amphibiens

Rana temporaria Linnaeus, 1758

Rana Linnaeus, 1758

Alytes obstetricans (Laurenti, 1768)

Bufo bufo (Linnaeus, 1758)

Angiospermes

Odontites vernus subsp. *serotinus* (Coss. & Germ.) Corb., 1894

Valeriana officinalis L., 1753

Rumex crispus L., 1753

Acer platanoides L., 1753

Lithospermum officinale L., 1753

Acer pseudoplatanus L., 1753

Populus alba L., 1753

Achillea millefolium L., 1753

Sonchus oleraceus L., 1753

Aegopodium podagraria L., 1753

Lactuca muralis (L.) Gaertn., 1791

Aesculus hippocastanum L., 1753

Medicago lupulina L., 1753

Agrimonia eupatoria L., 1753

Phleum pratense L., 1753

Agrimonia procera Wallr., 1840

Pulicaria dysenterica (L.) Bernh., 1800

Agrostis capillaris L., 1753

Schoenoplectus lacustris (L.) Palla, 1888

Agrostis stolonifera L., 1753

Tilia cordata Mill., 1768

Ailanthus altissima (Mill.) Swingle, 1916

Juncus conglomeratus L., 1753

Ajuga reptans L., 1753

Lemna minor L., 1753

Alcea rosea L., 1753

Luzula multiflora (Ehrh.) Lej., 1811

Alliaria petiolata (M.Bieb.) Cavara & Grande, 1913

Mentha suaveolens Ehrh., 1792

Allium ursinum L., 1753

Parietaria judaica L., 1756

Allium vineale L., 1753

Poa annua L., 1753

Alnus cordata (Loisel.) Duby, 1828

Poterium sanguisorba L., 1753

Alnus glutinosa (L.) Gaertn., 1790

Ribes rubrum L., 1753

Amaranthus deflexus L., 1771

Salix fragilis L., 1753

Anacamptis pyramidalis (L.) Rich., 1817

Silene vulgaris (Moench) Garcke, 1869

Anemone nemorosa L., 1753
Stellaria aquatica (L.) Scop., 1771
Anisantha sterilis (L.) Nevski, 1934
Tragopogon pratensis L., 1753
Anthoxanthum odoratum L., 1753
Viburnum lantana L., 1753
Anthriscus sylvestris (L.) Hoffm., 1814
Kickxia Dumort., 1829
Aquilegia vulgaris L., 1753
Lapsana communis L., 1753
Arctium lappa L., 1753
Leucanthemum vulgare Lam., 1779
Arctium minus (Hill) Bernh., 1800
Lotus corniculatus L., 1753
Arctium nemorosum Lej., 1833
Lysimachia vulgaris L., 1753
Argentina anserina (L.) Rydb., 1899
Melilotus (L.) Mill., 1754
Arrhenatherum elatius (L.) P.Beauv. ex J.Presl & C.Presl, 1819
Moehringia trinervia (L.) Clairv., 1811
Artemisia vulgaris L., 1753
Orobanche picridis-hieracioidis Holandre, 1829
Arum maculatum L., 1753
Persicaria amphibia (L.) Gray, 1821
Asparagus officinalis L., 1753
Plantago lanceolata L., 1753
Astragalus glycyphyllos L., 1753
Polycarpon tetraphyllum (L.) L., 1759
Atriplex prostrata Boucher ex DC., 1805
Potamogeton crispus L., 1753
Avena fatua L., 1753
Prunus avium (L.) L., 1755
Avenella flexuosa (L.) Drejer, 1838
Ranunculus acris L., 1753
Bellis perennis L., 1753
Rubus caesius L., 1753
Berberis aquifolium Pursh, 1814
Sagina apetala Ard., 1763
Berula erecta (Huds.) Coville, 1893
Saponaria officinalis L., 1753
Betula pendula Roth, 1788
Senecio inaequidens DC., 1838
Blackstonia perfoliata (L.) Huds., 1762
Soleirolia soleirolii (Req.) Dandy, 1964
Bolboschoenus maritimus (L.) Palla, 1905
Sparganium L., 1753
Brachypodium P.Beauv., 1812
Tanacetum vulgare L., 1753
Brachypodium pinnatum (L.) P.Beauv., 1812
Torilis arvensis (Huds.) Link, 1821

Brachypodium rupestre (Host) Roem. & Schult., 1817
Ulmus glabra Huds., 1762
Brachypodium sylvaticum (Huds.) P.Beauv., 1812
Veronica arvensis L., 1753
Bromopsis ramosa (Huds.) Holub, 1973
Viola hirta L., 1753
Bromus commutatus Schrad., 1806
Juncus inflexus L., 1753
Bromus hordeaceus L., 1753
Knautia arvensis (L.) Coult., 1828
Bryonia dioica Jacq., 1774
Lactuca virosa L., 1753
Buddleja davidii Franch., 1887
Lathyrus pratensis L., 1753
Calamagrostis epigejos (L.) Roth, 1788
Lepidium didymum L., 1767
Callitriche obtusangula Le Gall, 1852
Linaria vulgaris Mill., 1768
Callitriche stagnalis Scop., 1772
Lolium perenne L., 1753
Calluna vulgaris (L.) Hull, 1808
Lotus tenuis Waldest. & Kit. ex Willd., 1809
Caltha palustris L., 1753
Lysimachia arvensis (L.) U.Manns & Anderb., 2009
Campanula portenschlagiana Schult., 1819
Malva neglecta Wallr., 1824
Campanula rapunculus L., 1753
Medicago sativa subsp. sativa L., 1753
Campanula rotundifolia L., 1753
Melissa officinalis L., 1753
Campanula trachelium L., 1753
Mercurialis perennis L., 1753
Capsella bursa-pastoris (L.) Medik., 1792
Nymphaea alba L., 1753
Cardamine amara L., 1753
Ononis spinosa L., 1753
Cardamine impatiens L., 1753
Oxalis stricta L., 1753
Carex acutiformis Ehrh., 1789
Parthenocissus inserta (A.Kern.) Fritsch, 1922
Carex divulsa Stokes, 1787
Phalaris arundinacea L., 1753
Carex flacca Schreb., 1771
Picris hieracioides L., 1753
Carex pallescens L., 1753
Plantago major subsp. major L., 1753
Carex pendula Huds., 1762
Poa pratensis L., 1753
Carex pilulifera L., 1753
Polygonatum multiflorum (L.) All., 1785

Carex remota L., 1755
Populus tremula L., 1753
Carex spicata Huds., 1762
Potentilla reptans L., 1753
Carex sylvatica Huds., 1762
Primula veris L., 1753
Carlina vulgaris L., 1753
Prunus mahaleb L., 1753
Carpinus betulus L., 1753
Quercus pubescens Willd., 1796 [nom. et typ. cons.]
Castanea sativa Mill., 1768
Reseda lutea L., 1753
Catapodium rigidum (L.) C.E.Hubb., 1953
Rosa arvensis Huds., 1762
Centaurea decipiens Thuill., 1799
Rumex acetosa subsp. acetosa L., 1753
Centaurium erythraea Rafn, 1800
Rumex sanguineus auct. non L.
Centranthus ruber (L.) DC., 1805
Salix caprea L., 1753
Cerastium fontanum Baumg., 1816
Sambucus nigra L., 1753
Cerastium glomeratum Thuill., 1799
Schedonorus arundinaceus (Schreb.) Dumort., 1824 [nom. cons.]
Chaerophyllum temulum L., 1753
Scrophularia nodosa L., 1753
Chamaenerion angustifolium (L.) Scop., 1771
Silene dioica (L.) Clairv., 1811
Chelidonium majus L., 1753
Solanum dulcamara L., 1753
Chenopodium hybridum (L.) S.Fuentes, Uotila & Borsch, 2012
Solidago gigantea Aiton, 1789
Chenopodium album L., 1753
Sorbus aucuparia L., 1753
Circaea lutetiana L., 1753
Stachys palustris L., 1753
Cirsium arvense (L.) Scop., 1772
Symphytum officinale L., 1753
Cirsium oleraceum (L.) Scop., 1769
Taraxacum officinale F.H.Wigg., 1780
Cirsium palustre (L.) Scop., 1772
Tilia platyphyllos subsp. platyphyllos Scop., 1771
Cirsium vulgare (Savi) Ten., 1838
Torilis nodosa (L.) Gaertn., 1788
Clematis vitalba L., 1753
Trifolium pratense L., 1753
Clinopodium vulgare L., 1753
Ulmus minor Mill., 1768
Convallaria majalis L., 1753
Verbascum thapsus L., 1753

Convolvulus arvensis L., 1753
Veronica officinalis L., 1753
Convolvulus sepium L., 1753
Vicia sepium L., 1753
Cornus mas L., 1753
Viscum album L., 1753
Cornus sanguinea L., 1753
Juncus effusus L., 1753
Coronilla varia L., 1753
Juncus tenuis Willd., 1799
Corylus avellana L., 1753
Kickxia spuria (L.) Dumort., 1827
Crataegus laevigata (Poir.) DC., 1825
Laburnum anagyroides Medik., 1787
Crataegus monogyna Jacq., 1775
Lactuca serriola L., 1756
Crepis bursifolia L., 1753
Lamium album L., 1753
Crepis capillaris (L.) Wallr., 1840
Lathyrus latifolius L., 1753
Crepis setosa Haller f., 1797
Lathyrus sylvestris L., 1753
Cruciata laevipes Opiz, 1852
Leontodon hispidus L., 1753
Cymbalaria muralis G.Gaertn., B.Mey. & Scherb., 1800
Leucanthemum ircutianum DC., 1838
Cytisus scoparius (L.) Link, 1822
Ligustrum vulgare L., 1753
Dactylis glomerata L., 1753
Linum catharticum L., 1753
Danthonia decumbens (L.) DC., 1805
Lolium giganteum (L.) Darbysh., 1993
Daphne laureola L., 1753
Lonicera xylosteum L., 1753
Datura stramonium L., 1753
Lotus pedunculatus Cav., 1793
Daucus carota L., 1753
Luzula forsteri (Sm.) DC., 1806
Dianthus armeria L., 1753
Lycopus europaeus L., 1753
Digitalis purpurea L., 1753
Lysimachia nummularia L., 1753
Digitaria sanguinalis (L.) Scop., 1771
Lythrum salicaria L., 1753
Dioscorea communis (L.) Caddick & Wilkin, 2002
Malva sylvestris L., 1753
Dipsacus fullonum L., 1753
Medicago sativa L., 1753
Dipsacus pilosus L., 1753
Melica uniflora Retz., 1779

Elytrigia repens (L.) Desv. ex Nevski, 1934
Melilotus albus Medik., 1787
Epilobium ciliatum Raf., 1808
Mentha aquatica L., 1753
Epilobium hirsutum L., 1753
Mercurialis annua L., 1753
Epilobium parviflorum Schreb., 1771
Milium effusum L., 1753
Epilobium tetragonum L., 1753
Myosotis scorpioides L., 1753
Epipactis atrorubens (Hoffm.) Besser, 1809
Odontites vernus (Bellardi) Dumort., 1827
Epipactis helleborine (L.) Crantz, 1769
Oenothera glazioviana Micheli, 1875
Eragrostis minor Host, 1809
Origanum vulgare L., 1753
Eragrostis minor Pamp.
Oxalis corniculata L., 1753
Erigeron annuus (L.) Desf., 1804
Papaver rhoeas L., 1753
Erigeron canadensis L., 1753
Paris quadrifolia L., 1753
Erigeron karvinskianus DC., 1836
Pastinaca sativa L., 1753
Erigeron sumatrensis Retz., 1810
Petrosedum rupestre (L.) P.V.Heath, 1987
Ervum tetraspermum L., 1753
Phleum nodosum L., 1759
Eryngium campestre L., 1753
Phragmites australis (Cav.) Trin. ex Steud., 1840
Euonymus europaeus L., 1753
Plantago coronopus L., 1753
Eupatorium cannabinum L., 1753
Plantago major L., 1753
Euphorbia amygdaloides L., 1753
Platanus x hispanica Mill. ex Münchh., 1770
Euphorbia cyparissias L., 1753
Poa nemoralis L., 1753
Euphorbia helioscopia L., 1753
Poa trivialis L., 1753
Euphorbia lathyris L., 1753
Polygala vulgaris L., 1753 [nom. et typ. cons.]
Euphorbia maculata L., 1753
Polygonum aviculare L., 1753
Euphorbia peplus L., 1753
Populus nigra L., 1753
Fagus sylvatica L., 1753
Portulaca oleracea L., 1753
Fallopia convolvulus (L.) Á.Löve, 1970
Potentilla indica (Andrews) Th.Wolf, 1904

<i>Festuca heterophylla</i> Lam., 1779
<i>Potentilla sterilis</i> (L.) Garcke, 1856
<i>Festuca lemanii</i> Bastard, 1809
<i>Primula elatior</i> (L.) Hill, 1765
<i>Festuca rubra</i> L., 1753
<i>Prunella vulgaris</i> L., 1753
<i>Ficaria verna</i> Huds., 1762
<i>Prunus laurocerasus</i> L., 1753
<i>Filipendula ulmaria</i> (L.) Maxim., 1879
<i>Prunus spinosa</i> L., 1753
<i>Foeniculum vulgare</i> Mill., 1768
<i>Quercus petraea</i> (Matt.) Liebl., 1784
<i>Fragaria vesca</i> L., 1753
<i>Quercus robur</i> L., 1753
<i>Fraxinus excelsior</i> L., 1753
<i>Ranunculus repens</i> L., 1753
<i>Fumaria capreolata</i> L., 1753
<i>Reynoutria japonica</i> Houtt., 1777
<i>Fumaria officinalis</i> L., 1753
<i>Robinia pseudoacacia</i> L., 1753
<i>Galega officinalis</i> L., 1753
<i>Rosa canina</i> L., 1753
<i>Galeopsis tetrahit</i> L., 1753
<i>Rubus</i> L., 1753 [nom. et typ. cons.]
<i>Galium album</i> Mill., 1768
<i>Rumex conglomeratus</i> Murray, 1770
<i>Galium aparine</i> L., 1753
<i>Rumex obtusifolius</i> L., 1753
<i>Galium mollugo</i> L., 1753
<i>Rumex sanguineus</i> L., 1753
<i>Galium odoratum</i> (L.) Scop., 1771
<i>Salix babylonica</i> L., 1753
<i>Galium palustre</i> L., 1753
<i>Salix cinerea</i> L., 1753
<i>Geranium dissectum</i> L., 1755
<i>Sambucus ebulus</i> L., 1753
<i>Geranium</i> L., 1753
<i>Samolus valerandi</i> L., 1753
<i>Geranium purpureum</i> Vill., 1786
<i>Saxifraga tridactylites</i> L., 1753
<i>Geranium pusillum</i> L., 1759
<i>Schedonorus giganteus</i> (L.) Holub, 1998
<i>Geranium pyrenaicum</i> Burm.f., 1759
<i>Scrophularia auriculata</i> L., 1753 [nom. et typ. cons.]
<i>Geranium pyrenaicum</i> Burm.f., 1759 [nom. et typ. cons.]
<i>Sedum acre</i> L., 1753
<i>Geranium pyrenaicum</i> subsp. <i>pyrenaicum</i> Burm.f., 1759
<i>Senecio vulgaris</i> L., 1753
<i>Geranium robertianum</i> L., 1753
<i>Silene latifolia</i> Poir., 1789

Geum urbanum L., 1753
Sinapis arvensis L., 1753
Glechoma hederacea L., 1753
Solanum nigrum L., 1753
Glyceria maxima (Hartm.) Holmb., 1919
Solidago canadensis L., 1753
Hedera helix L., 1753
Sonchus asper (L.) Hill, 1769
Helleborus foetidus L., 1753
Sonchus palustris L., 1753
Helminthotheca echiioides (L.) Holub, 1973
Sorbus aucuparia subsp. aucuparia L., 1753
Heracleum sphondylium L., 1753
Sporobolus indicus (L.) R.Br., 1810
Hieracium lachenalii Suter, 1802
Stachys sylvatica L., 1753
Himantoglossum hircinum (L.) Spreng., 1826
Stellaria media (L.) Vill., 1789
Hippocrepis comosa L., 1753
Syringa vulgaris L., 1753
Holcus lanatus L., 1753
Taraxacum F.H.Wigg., 1780
Holcus mollis L., 1759
Teucrium scorodonia L., 1753
Hordeum murinum L., 1753
Tilia platyphyllos Scop., 1771 [nom. et typ. cons.]
Humulus lupulus L., 1753
Tilia x europaea L., 1753
Hypericum hirsutum L., 1753
Torilis japonica (Houtt.) DC., 1830
Hypericum perforatum L., 1753
Torminalis glaberrima (Gand.) Sennikov & Kurtto, 2017
Hypericum pulchrum L., 1753
Trifolium fragiferum L., 1753
Hypericum tetrapterum Fr., 1823
Trifolium repens L., 1753
Hypochaeridinae Less., 1832
Ulmus L., 1753
Hypochaeris radicata L., 1753
Urtica dioica L., 1753
Ilex aquifolium L., 1753
Verbascum lychnitis L., 1753
Inula conyzae (Greiss.) DC., 1836
Verbena officinalis L., 1753
Iris foetidissima L., 1753
Veronica chamaedrys L., 1753
Iris pseudacorus L., 1753
Veronica persica Poir., 1808
Jacobaea vulgaris Gaertn., 1791
Vicia cracca L., 1753

Juglans L., 1753
Vinca minor L., 1753
Juglans nigra L., 1753
Viola reichenbachiana Jord. ex Boreau, 1857
Juglans regia L., 1753
Acer campestre L., 1753
Juncus bufonius L., 1753
Arachnides
Pisaura mirabilis (Clerck, 1758)
Neriere montana (Clerck, 1758)
Xysticus C.L. Koch, 1835
Aceria campestricola (Frauenfeld, 1865)
Pardosa hortensis (Thorell, 1872)
Aceria erineae (Nalepa, 1891)
Steatoda nobilis (Thorell, 1875)
Aceria fraxinivora (Nalepa, 1909)
Metellina merianae (Scopoli, 1763)
Aceria macrorhyncha (Nalepa, 1889)
Opilio canestrinii (Thorell, 1876)
Aceria pseudoplatani (Corti, 1905)
Philodromus praedatus O. Pickard-Cambridge, 1871
Aculus tetanothrix (Nalepa, 1889)
Scytodes thoracica (Latreille, 1802)
Agelena labyrinthica (Clerck, 1758)
Theridion varians Hahn, 1833
Agroeca Westring, 1861
Zygiella x-notata (Clerck, 1758)
Amaurobius fenestralis (Strøm, 1768)
Misumena vatia (Clerck, 1758)
Anyphaena accentuata (Walckenaer, 1802)
Nuctenea umbratica (Clerck, 1758)
Araneus angulatus Clerck, 1758
Parasteatoda Archer, 1946
Araneus diadematus Clerck, 1758
Phalangium opilio Linnaeus, 1758
Araneus marmoreus Clerck, 1758
Phytoptus avellanae Nalepa, 1889
Atypus piceus (Sulzer, 1776)
Porrhomma microphthalmum (O. Pickard-Cambridge, 1871)
Cecidophyes nudus Nalepa, 1891
Simitidion simile (C.L. Koch, 1836)
Clubiona lutescens Westring, 1851
Tetragnatha Latreille, 1804
Clubiona terrestris Westring, 1851
Tibellus Simon, 1875
Cyclosa conica (Pallas, 1772)
Zora spinimana (Sundevall, 1833)
Diaea dorsata (Fabricius, 1777)
Metellina mengei (Blackwall, 1869)
Dicranopalpus ramosus (Simon, 1909)

Micrommata virescens (Clerck, 1758)
Dipoena melanogaster (C.L. Koch, 1837)
Nemastoma bimaculatum (Fabricius, 1775)
Enoplognatha latimana Hippa & Oksala, 1982
Neriere radiata (Walckenaer, 1841)
Enoplognatha ovata (Clerck, 1758)
Odiellus spinosus (Bosc, 1792)
Episinus maculipes Cavanna, 1876
Pachygnatha degeeri Sundevall, 1830
Eratigena Bolzern, Buckhardt & Hänggi, 2013
Parasteatoda lunata (Clerck, 1758)
Eriophyes exilis (Nalepa, 1892)
Pardosa Koch, 1847
Eriophyes inangulis Nalepa, 1919
Philodromus dispar Walckenaer, 1826
Eriophyes laevis (Nalepa, 1889)
Pholcus phalangioides (Fuessly, 1775)
Eriophyes tiliae (Pagenstecher, 1857)
Piratula hygrophila (Thorell, 1872)
Ero apha (Walckenaer, 1802)
Platnickina tinctoria (Walckenaer, 1802)
Evarcha arcuata (Clerck, 1758)
Runcinia grammica (C.L. Koch, 1837)
Harpactea hombergi (Scopoli, 1763)
Segestria bavarica C.L. Koch, 1843
Heliophanus cupreus (Walckenaer, 1802)
Steatoda grossa (C.L. Koch, 1838)
Lacinius ephippiatus (C.L. Koch, 1835)
Synema globosum (Fabricius, 1775)
Leiobunum rotundum (Latreille, 1798)
Tetragnatha montana Simon, 1874
Lepthyphantes minutus (Blackwall, 1833)
Theridiosoma gemmosum (L. Koch, 1877)
Linyphia triangularis (Clerck, 1758)
Xerolycosa nemoralis (Westring, 1861)
Mangora acalypha (Walckenaer, 1802)
Zilla diodia (Walckenaer, 1802)
Marpissa Koch, 1846
Zoropsis spinimana (Dufour, 1820)
Marpissa muscosa (Clerck, 1758)
Aceria aceriscampestris (Nalepa, 1922)
Meta menardi (Latreille, 1804)
Autres (Fonge)
Aecidium clematidis DC., 1805
Rhytisma acerinum (Pers.) Fr., 1819
Peniophora Cooke, 1879
Auricularia auricula-judae (Bull.) Qué., 1886
Tarsetta (Cooke) Lambotte, 1887
Auricularia mesenterica (Dicks.) Pers., 1822
Lycogala epidendrum (J.C.Buxb. ex L.) Fr., 1829

Boeremia hedericola (Durieu & Mont.) Aveskamp, Gruyter & Verkley, 2010
Puccinia circaeae Pers., 1794
Bryophyta
Stemonitis Gled., 1753
Ceratiomyxa fruticulosa (O.F.Müll.) T.Macbr., 1899
Trichaptum biforme (Fr.) Ryvarden, 1972
Coprinellus micaceus (Bull.) Vilgalys, Hopple & Jacq.Johnson, 2001
Lycogala Adans., 1763
Coprinopsis strossmayeri (Schulzer) Redhead, Vilgalys & Moncalvo, 2001
Marasmius rotula (Scop.) Fr., 1838
Daldinia concentrica (Bolton) Ces. & De Not., 1863
Pluteus Fr., 1836
Epichloe (Fr.) Tul. & C.Tul., 1865
Reticularia lycoperdon Bull., 1790
Fomes fomentarius (L.) Fr., 1849
Scutellinia (Cooke) Lambotte, 1887
Fomitopsis pinicola (Sw.) P.Karst., 1881
Stereum subtomentosum Pouzar, 1964
Ganoderma australe (Fr.) Pat., 1889
Trametes versicolor (L.) Lloyd, 1921
Ganoderma P.Karst., 1881
Xylaria Hill ex Schrank, 1789
Hexapoda Blainville, 1816
Hymenoscyphus fraxineus (T.Kowalski) Baral, Queloz & Hosoya, 2014
Bivalves
Anodonta cygnea (Linnaeus, 1758)
Crustacés
Philoscia muscorum (Scopoli, 1763)
Trichoniscus pygmaeus G.O. Sars, 1899
Porcellio scaber Latreille, 1804
Armadillidium nasatum Budde-Lund, 1885
Oniscus asellus Linnaeus, 1758
Armadillidium opacum (Koch, 1844)
Porcellio monticola Lereboullet, 1853
Armadillidium vulgare (Latreille, 1804)
Porcellio spinicornis Say, 1818
Gammarus pulex (Linnaeus, 1758)
Androniscus dentiger Verhoeff, 1908
Haplophthalmus danicus Budde-Lund, 1880
Entognathes
Orchesella villosa (Geoffroy, 1762)
Allacma fusca (Linnaeus, 1758)
Seira domestica (Nicolet, 1842)
Cyphoderus albinus (Nicolet, 1842)
Orchesella cincta (Linnaeus, 1758)
Heteromurus nitidus (Templeton, 1835)
Pogonognathellus longicornis (O. F. Müller, 1776)
Isotomurus palustris (O. F. Müller, 1776)
Tomocerus vulgaris (Tullberg, 1871)
Lepidocyrtus curvicolis Bourlet, 1839

Lepidocyrtus lignorum (Fabricius, 1793)
Gastéropodes
Hygromiidae Tryon, 1866
Pomatias elegans (O.F. Müller, 1774)
Macrogastra rolphii (W. Turton, 1826)
Cepaea Held, 1838
Zonitoides nitidus (O.F. Müller, 1774)
Cepaea hortensis (O.F. Müller, 1774)
Limax cinereoniger Wolf, 1803
Cepaea nemoralis (Linnaeus, 1758)
Oxychilus draparnaudi (H. Beck, 1837)
Clausilia bidentata (Strøm, 1765)
Succineidae H. Beck, 1837
Clausiliidae J.E. Gray, 1855
Hygromia cinctella (Draparnaud, 1801)
Cochlodina laminata (Montagu, 1803)
Lauria cylindracea (Da Costa, 1778)
Cornu aspersum (O.F. Müller, 1774)
Limax maximus Linnaeus, 1758
Discus rotundatus (O.F. Müller, 1774)
Monacha cartusiana (O.F. Müller, 1774)
Gonyodiscus rotundatus (O.F. Müller, 1774)
Perforatella incarnata (O.F. Müller, 1774)
Graphis Jeffreys, 1867
Succinea Draparnaud, 1801
Helicodonta obvoluta (O.F. Müller, 1774)
Vitrea crystallina (O.F. Müller, 1774)
Helicodonta obvoluta obvoluta (O.F. Müller, 1774)
Arion rufus (Linnaeus, 1758)
Helix pomatia Linnaeus, 1758
Gymnospermes
Taxus baccata L., 1753
Sequoia sempervirens (D.Don) Endl., 1847
Hépatiques et Anthocérotes
Pelliaceae H.Klinggr., 1858
Conocephalum conicum (L.) Dumort., 1822
Radula complanata (L.) Dumort., 1831
Marchantia polymorpha L., 1753
Metzgeria furcata (L.) Corda, 1829
Insectes
Sicus ferrugineus (Linnaeus, 1761)
Platynus assimilis (Paykull, 1790)
Trachys minutus (Linnaeus, 1758)
Lacanobia splendens (Hübner, 1808)
Pyrrhosoma nymphula (Sulzer, 1776)
Laccophilus minutus (Linnaeus, 1758)
Synaphe punctalis (Fabricius, 1775)
Lagria Fabricius, 1775
Xyphosia miliaria (Schrank, 1781)

Lagria hirta (Linnaeus, 1758)
Pseudoips prasinanus (Linnaeus, 1758)
Lampyrus noctiluca (Linnaeus, 1758)
Salpingus planirostris (Fabricius, 1787)
Laothoe populi (Linnaeus, 1758)
Stenopterus rufus (Linnaeus, 1767)
Larinus carlinae (Olivier, 1807)
Thyatira batis (Linnaeus, 1758)
Larinus turbinatus Gyllenhal, 1835
Urophora stylata (Fabricius, 1775)
Lasioglossum glabriusculum (Morawitz, 1872)
Piesma maculatum (Laporte de Castelnau, 1833)
Lasioglossum leucozonium (Schränk, 1781)
Polyphaenis sericata (Esper, 1787)
Lasioglossum politum (Schenck, 1853)
Ptychoptera albimana (Fabricius, 1787)
Lasius emarginatus (Olivier, 1792)
Rhopalapion longirostre (Olivier, 1807)
Lasius fuliginosus (Latreille, 1798)
Scoparia pyralella (Denis & Schiffermüller, 1775)
Ledra aurita (Linnaeus, 1758)
Sphaerophoria Lepeletier de Saint-Fargeau & Audinet-Serville in Latreille, 1828
Leiopus femoratus Fairmaire, 1859
Stethophyma grossum (Linnaeus, 1758)
Lepidostoma basale (Kolenati, 1848)
Tephritis conura (Loew, 1844)
Lepisma saccharina Linnaeus, 1758
Tipula lateralis Meigen, 1804
Lepismachilis y-signata Kratochvíl, 1945
Trypetoptera punctulata (Scopoli, 1763)
Leptidea sinapis (Linnaeus, 1758)
Vibidia duodecimguttata (Poda, 1761)
Leptophyes punctatissima (Bosc, 1792)
Zygaena filipendulae (Linnaeus, 1758)
Leptura aurulenta Fabricius, 1792
Plagodis dolabraria (Linnaeus, 1767)
Leptura quadrifasciata Linnaeus, 1758
Polistes dominula (Christ, 1791)
Libellula depressa Linnaeus, 1758
Psammotettix Haupt, 1929
Libellula fulva O.F. Müller, 1764
Psylliodes napi (Fabricius, 1792)
Libellula quadrimaculata Linnaeus, 1758
Pyrausta despicata (Scopoli, 1763)
Ligdia adustata (Denis & Schiffermüller, 1775)
Rhagio tringarius (Linnaeus, 1758)
Limenitis camilla (Linnaeus, 1764)
Roeseliana roeselii (Hagenbach, 1822)
Limnia unguicornis (Scopoli, 1763)
Scaeva pyrastris (Linnaeus, 1758)

Limonia nubeculosa Meigen, 1804
Selenia dentaria (Fabricius, 1775)
Liocoris tripustulatus (Fabricius, 1781)
Smicronyx reichii (Gyllenhal, 1835)
Liparus coronatus (Goeze, 1777)
Spurgia euphorbiae (Vallot, 1827)
Lissodema denticolle (Gyllenhal, 1813)
Stenus clavicornis (Scopoli, 1763)
Lithosia quadra (Linnaeus, 1758)
Subcoccinella vigintiquatuorpunctata (Linnaeus, 1758)
Lomaspilis marginata (Linnaeus, 1758)
Tachyporus chrysomelinus (Linnaeus, 1758)
Lopheros rubens (Gyllenhal, 1817)
Tetrix undulata (Sowerby, 1806)
Loricera pilicornis (Fabricius, 1775)
Timandra comae Schmidt, 1931
Lucanus cervus (Linnaeus, 1758)
Tipula scripta scripta Meigen, 1830
Lucanus cervus cervus (Linnaeus, 1758)
Tritoma bipustulata Fabricius, 1775
Lycaena phlaeas (Linnaeus, 1761)
Tytthaspis sedecimpunctata (Linnaeus, 1761)
Lygistorus sanguineus (Linnaeus, 1758)
Velia Latreille, 1804
Lymantria dispar (Linnaeus, 1758)
Xylocleptes bispinus (Duftschmid, 1825)
Lymantria monacha (Linnaeus, 1758)
Yponomeuta plumbella (Denis & Schiffermüller, 1775)
Macaria notata (Linnaeus, 1758)
Pieris napi (Linnaeus, 1758)
Macrocera Meigen, 1803
Plagiognathus arbustorum (Fabricius, 1794)
Macroglossum stellatarum (Linnaeus, 1758)
Platycleis albopunctata (Goeze, 1778)
Malachius bipustulatus (Linnaeus, 1758)
Poecilus cupreus (Linnaeus, 1758)
Malacocoris chlorizans (Panzer, 1794)
Polygona c-album (Linnaeus, 1758)
Maniola jurtina (Linnaeus, 1758)
Propylea quatuordecimpunctata (Linnaeus, 1758)
Mantis religiosa (Linnaeus, 1758)
Pseudochorthippus parallelus (Zetterstedt, 1821)
Meconema meridionale A. Costa, 1860
Psococerastis gibbosa (Sulzer, 1776)
Meconema thalassinum (De Geer, 1773)
Pterostichus niger (Schaller, 1783)
Mecostethus parapleurus (Hagenbach, 1822)
Ptychoptera Meigen, 1803
Megachile lagopoda (Linnaeus, 1761)
Pyronia tithonus (Linnaeus, 1771)

Megachile willughbiella (Kirby, 1802)
Rabdophaga rosaria (Loew, 1850)
Megaloceroea recticornis (Geoffroy, 1785)
Rhagonycha lutea (O.F. Müller, 1764)
Meganola albula (Denis & Schiffermüller, 1775)
Rhyncolus punctatulus Boheman, 1838
Melanargia galathea (Linnaeus, 1758)
Ruspolia nitidula (Scopoli, 1786)
Melanchra persicariae (Linnaeus, 1761)
Satyrium w-album (Knoch, 1782)
Melanostoma mellinum (Linnaeus, 1758)
Scirtes hemisphaericus (Linnaeus, 1758)
Melanostoma Schiner, 1860
Scopula ornata (Scopoli, 1763)
Melanthia procellata (Denis & Schiffermüller, 1775)
Serica brunnea (Linnaeus, 1758)
Menophra abruptaria (Thunberg, 1792)
Smaragdina salicina (Scopoli, 1763)
Mesoligia furuncula (Denis & Schiffermüller, 1775)
Speudotettix subfuscus (Fallén, 1806)
Mesopsocus immunis (Stephens, 1836)
Sphinx ligustri Linnaeus, 1758
Mesosa nebulosa (Fabricius, 1781)
Stenagostus rhombeus (Olivier, 1790)
Metalimnobia bifasciata (Schränk, 1781)
Stenurella melanura (Linnaeus, 1758)
Metopia argyrocephala (Meigen, 1824)
Stenus nitidiusculus Stephens, 1833
Metylophorus nebulosus (Stephens, 1836)
Stictoleptura rubra (Linnaeus, 1758)
Micromus angulatus (Stephens, 1836)
Sympetrum striolatum (Charpentier, 1840)
Micromus variegatus (Fabricius, 1793)
Tabanus bromius Linnaeus, 1758
Mikiola fagi (Hartig, 1839)
Temnostoma vespiforme (Linnaeus, 1758)
Miltochrista miniata (Forster, 1771)
Tetrix Latreille, 1802
Minettia longipennis (Fabricius, 1794)
Thalera fimbrialis (Scopoli, 1763)
Miridae Hahn, 1833
Thymelicus lineola (Ochsenheimer, 1808)
Miridius quadrivirgatus (A. Costa, 1853)
Tipula fascipennis Meigen, 1818
Mocydia crocea (Herrich-Schäffer, 1837)
Tipula maxima Poda, 1761
Monalocoris filicis (Linnaeus, 1758)
Trachea atriplicis (Linnaeus, 1758)
Mordella holomelaena Apfelbeck, 1914
Trigoniophthalmus alternatus (Silvestri, 1904)

Mormo maura (Linnaeus, 1758)
Tritomegas sexmaculatus (Rambur, 1839)
Myrmica rubra Buckley, 1867
Tyria jacobaeae (Linnaeus, 1758)
Mystacides azureus (Linnaeus, 1761)
Uleiota planatus (Linnaeus, 1761)
Mythimna impura (Hübner, 1808)
Vanessa cardui (Linnaeus, 1758)
Nabis limbatus Dahlbom, 1851
Vespa velutina Lepeletier, 1836
Nalassus laevioctostriatus (Goeze, 1777)
Xantholinus longiventris Heer, 1839
Nanophyes brevis Boheman, 1845
Xylotrechus arvicola (Olivier, 1800)
Nanophyes marmoratus (Goeze, 1777)
Yponomeuta irrorella (Hübner, 1796)
Nedyus quadrimaculatus (Linnaeus, 1758)
Zeuzera pyrina (Linnaeus, 1761)
Nemobius sylvestris (Bosc, 1792)
Kybos Fieber, 1866
Nemophora metallica (Poda, 1761)
Pieris rapae (Linnaeus, 1758)
Nemophora pfeifferella (Hübner, 1813)
Piezodorus lituratus (Fabricius, 1794)
Nephrotoma dorsalis (Fabricius, 1781)
Plagiosterna aenea (Linnaeus, 1758)
Nephrotoma flavipalpis (Meigen, 1830)
Planuncus vinzi (Maurel, 2012)
Neria cibaria (Linnaeus, 1758)
Platycnemis pennipes (Pallas, 1771)
Nezara viridula (Linnaeus, 1758)
Platyrhinus resinosus (Scopoli, 1763)
Nicrophorus vespilloides Herbst, 1783
Polia nebulosa (Hufnagel, 1766)
Noctua fimbriata (Schreber, 1759)
Polydrusus formosus (Mayer, 1779)
Noctua janthina (Denis & Schiffermüller, 1775)
Polyommatus icarus (Rottemburg, 1775)
Noctua Linnaeus, 1758
Prionychus ater (Fabricius, 1775)
Noctua pronuba (Linnaeus, 1758)
Protapion trifolii (Linnaeus, 1768)
Nomada fabriciana (Linnaeus, 1767)
Pseudoanthidium nanum (Mocsáry, 1881)
Nomophila noctuella (Denis & Schiffermüller, 1775)
Pseudochorthippus parallelus parallelus (Zetterstedt, 1821)
Notiophilus rufipes Curtis, 1829
Pseudopanthera macularia (Linnaeus, 1758)
Notostira elongata (Geoffroy, 1785)
Psyche casta (Pallas, 1767)

Nycteola revayana (Scopoli, 1772)
Psyllobora vigintiduopunctata (Linnaeus, 1758)
Nycterosea obstipata (Fabricius, 1794)
Pterostichus strenuus (Panzer, 1796)
Nyctia halterata (Panzer, 1798)
Ptychoptera lacustris Meigen, 1830
Nyea lurideola (Zincken, 1817)
Pyrausta aurata (Scopoli, 1763)
Oberea linearis (Linnaeus, 1758)
Pyrausta purpuralis (Linnaeus, 1758)
Obolodiplosis robiniae (Haldeman, 1847)
Pyrrhocoris apterus (Linnaeus, 1758)
Ochlodes sylvanus (Esper, 1777)
Quedius nitipennis (Stephens, 1833)
Ocypus olens (O.F. Müller, 1764)
Rhagio lineola Fabricius, 1794
Oecanthus pellucens (Scopoli, 1763)
Rhagonycha fulva (Scopoli, 1763)
Oecophora bractella (Linnaeus, 1758)
Rheumaptera undulata (Linnaeus, 1758)
Oedemera lurida (Marsham, 1802)
Rhopalodontus perforatus (Gyllenhal, 1813)
Oedemera nobilis (Scopoli, 1763)
Rhyparochromus vulgaris (Schilling, 1829)
Oedemera podagrariae (Linnaeus, 1767)
Rusina ferruginea (Esper, 1785)
Oedipoda caerulea (Linnaeus, 1758)
Rutpela maculata (Poda, 1761)
Olibrus affinis (Sturm, 1807)
Sarcophaga carnaria (Linnaeus, 1758)
Olindia schumacherana (Fabricius, 1787)
Scaeva Fabricius, 1805
Omaloplia ruricola (Fabricius, 1775)
Sciaroidea Billberg, 1820
Oncocera semirubella (Scopoli, 1763)
Scolytus carpini (Ratzeburg, 1837)
Oncotylus viridiflavus (Goeze, 1778)
Scopula nigropunctata (Hufnagel, 1767)
Opisthograptis luteolata (Linnaeus, 1758)
Selandria serva (Fabricius, 1793)
Opomyza florum (Fabricius, 1794)
Selenia lunularia (Hübner, 1788)
Orchesia undulata Kraatz, 1853
Sesia apiformis (Clerck, 1759)
Orientus ishidae (Matsumura, 1902)
Sitona lineatus (Linnaeus, 1758)
Orthetrum albistylum (Selys, 1848)
Smicromyrme rufipes (Fabricius, 1787)
Orthetrum brunneum (Boyer de Fonscolombe, 1837)
Spermophagus sericeus (Geoffroy in Fourcroy, 1785)

Orthetrum cancellatum (Linnaeus, 1758)
Sphaeroderma testaceum (Fabricius, 1775)
Ortholomus punctipennis (Herrich-Schäffer, 1838)
Sphaerophoria scripta (Linnaeus, 1758)
Osmylus fulvicephalus (Scopoli, 1763)
Spilonota ocellana (Denis & Schiffermüller, 1775)
Ostrinia Hübner, 1825
Stauropus fagi (Linnaeus, 1758)
Ostrinia nubilalis (Hübner, 1796)
Stenodema laevigata (Linnaeus, 1758)
Otiorhynchus raucus (Fabricius, 1777)
Stenotus binotatus (Fabricius, 1794)
Otiorhynchus rugosostriatus (Goeze, 1777)
Stenus bimaculatus Gyllenhal, 1810
Oulema Des Gozis, 1886
Stenus juno (Paykull, 1789)
Oulema gallaeciana (L.F.J.D. Heyden, 1870)
Sterrhinae Meyrick, 1892
Oulema melanopus (Linnaeus, 1758)
Stictoleptura fulva (De Geer, 1775)
Oxycareus lavaterae (Fabricius, 1787)
Stictopleurus punctatonevrosus (Goeze, 1778)
Oxythyrea funesta (Poda, 1761)
Sympetrum sanguineum (O.F. Müller, 1764)
Pachygaster atra (Panzer, 1798)
Synanthedon tipuliformis (Clerck, 1759)
Palomena prasina (Linnaeus, 1761)
Syrphus ribesii (Linnaeus, 1758)
Palorus depressus (Fabricius, 1790)
Tabanus sudeticus Zeller, 1842
Panaphis juglandis (Goeze, 1778)
Taxomyia taxi (Inchbald, 1861)
Pandemis heparana (Denis & Schiffermüller, 1775)
Tenthredo campestris Linnaeus, 1758
Panorpa germanica Linnaeus, 1758
Tessellana tessellata (Charpentier, 1825)
Panorpa vulgaris Imhoff & Labram, 1845
Tetrix subulata (Linnaeus, 1758)
Panurgus calcaratus (Scopoli, 1763)
Tettigonia viridissima (Linnaeus, 1758)
Papilio machaon Linnaeus, 1758
Thanatophilus rugosus (Linnaeus, 1758)
Paracolax tristalis (Fabricius, 1794)
Thymelicus acteon (Rottemburg, 1775)
Paradromius linearis (Olivier, 1795)
Thyris fenestrella (Scopoli, 1763)
Parapoynx stratiotata (Linnaeus, 1758)
Tipula cava Riedel, 1913
Pararge aegeria (Linnaeus, 1758)
Tipula helvola Loew, 1873

Parascotia fuliginaria (Linnaeus, 1761)
Tipula Linnaeus, 1758
Parectopa robiniella Clemens, 1863
Tipula oleracea Linnaeus, 1758
Parectropis similaria (Hufnagel, 1767)
Tischeria ekebladella (Bjerkander, 1795)
Pasiphila rectangulata (Linnaeus, 1758)
Trachys fragariae Brisout de Barneville, 1874
Patania ruralis (Scopoli, 1763)
Trichius gallicus Dejean, 1821
Pediaspis aceris (Gmelin, 1790)
Trisateles emortualis (Denis & Schiffermüller, 1775)
Pelosia muscerda (Hufnagel, 1766)
Tritomegas bicolor (Linnaeus, 1758)
Pentatoma rufipes (Linnaeus, 1758)
Tropideres albirostris (Schaller, 1783)
Peribatodes rhomboidaria (Denis & Schiffermüller, 1775)
Typhlocyba quercus (Fabricius, 1777)
Petrophora chlorosata (Scopoli, 1763)
Tyta luctuosa (Denis & Schiffermüller, 1775)
Phaedon cochleariae (Fabricius, 1792)
Udea ferrugalis (Hübner, 1796)
Phaneroptera nana Fieber, 1853
Urophora solstitialis (Linnaeus, 1758)
Philonthus cognatus Stephens, 1832
Vanessa atalanta (Linnaeus, 1758)
Phlogophora meticulosa (Linnaeus, 1758)
Variimorda villosa (Schrank, 1781)
Pholidoptera griseoaptera (De Geer, 1773)
Vespa crabro Linnaeus, 1758
Phosphaenus hemipterus (Goeze, 1777)
Vespula vulgaris (Linnaeus, 1758)
Phosphuga atrata (Linnaeus, 1758)
Volucella zonaria (Poda, 1761)
Photedes fluxa (Hübner, 1809)
Xestia triangulum (Hufnagel, 1766)
Phyllonorycter coryli (Nicelli, 1851)
Xylota segnis (Linnaeus, 1758)
Phyllonorycter geniculella (Ragonot, 1874)
Xylotrechus rusticus (Linnaeus, 1758)
Phyllonorycter maestingella (O.F. Müller, 1764)
Yponomeuta evonymella (Linnaeus, 1758)
Phyllonorycter nicellii (Stainton, 1851)
Yponomeuta Latreille, 1796
Phyllonorycter platani (Staudinger, 1870)
Zanclognatha lunalis (Scopoli, 1763)
Phylus coryli (Linnaeus, 1758)
Zygaena ephialtes (Linnaeus, 1767)
Physocephala rufipes (Fabricius, 1781)
Zygina flammigera (Fourcroy, 1785)

Pieris brassicae (Linnaeus, 1758)
Pieris mannii (Mayer, 1851)
Endotricha flammealis (Denis & Schiffermüller, 1775)
Coxelus pictus (Sturm, 1807)
Harmonia axyridis (Pallas, 1773)
Acanthosoma haemorrhoidale (Linnaeus, 1758)
Dasypoda hirtipes (Fabricius, 1793)
Acentria ephemerella (Denis & Schiffermüller, 1775)
Evacanthus interruptus (Linnaeus, 1758)
Acleris forsskaeana (Linnaeus, 1758)
Idaea fuscovenosa (Goeze, 1781)
Acleris holmiana (Linnaeus, 1758)
Cryptocephalus pygmaeus Fabricius, 1792
Acleris notana (Donovan, 1806)
Diptera Linnaeus, 1758
Acrobasis advenella (Zincken, 1818)
Eudonia mercurella (Linnaeus, 1758)
Acrobasis tumidana (Denis & Schiffermüller, 1775)
Gracillariidae Stainton, 1854
Acrobasis Zeller, 1839
Heterotoma planicornis (Pallas, 1772)
Acronicta auricoma (Denis & Schiffermüller, 1775)
Cordulegaster boltonii boltonii (Donovan, 1807)
Adaina microdactyla (Hübner, 1813)
Crocallis elingua (Linnaeus, 1758)
Adela violella (Denis & Schiffermüller, 1775)
Cyclophora punctaria (Linnaeus, 1758)
Adelphocoris seticornis (Fabricius, 1775)
Diachrysia chrysis (Linnaeus, 1758)
Aelia acuminata (Linnaeus, 1758)
Ectobius lapponicus (Linnaeus, 1758)
Aeshna affinis Vander Linden, 1820
Eremobia ochroleuca (Denis & Schiffermüller, 1775)
Aeshna cyanea (O.F. Müller, 1764)
Eupoecilia angustana (Hübner, 1799)
Aeshna grandis (Linnaeus, 1758)
Geometridae Leach, 1815
Aethes tesserana (Denis & Schiffermüller, 1775)
Haematopota pluvialis (Linnaeus, 1758)
Agapeta hamana (Linnaeus, 1758)
Hemicrepidius Germar, 1839
Agelastica alni (Linnaeus, 1758)
Hypocassida subferruginea (Schränk, 1776)
Aglais io (Linnaeus, 1758)
Issus coleoptratus (Fabricius, 1781)
Aglossa pinguinalis (Linnaeus, 1758)
Coreus marginatus (Linnaeus, 1758)
Agonopterix heracliana (Linnaeus, 1758)
Cremnops desertor (Linnaeus, 1758)
Agrilus ater (Linnaeus, 1767)

Cryptocephalus ianthinus Germar, 1823
Agrilus convexicollis Redtenbacher, 1849
Cucullia Schrank, 1802
Agrilus guerini Lacordaire, 1835
Cymus melanocephalus Fieber, 1861
Agriotes gallicus Lacordaire in Boisduval & Lacordaire, 1835
Deltote pygarga (Hufnagel, 1766)
Agriphila straminella (Denis & Schiffermüller, 1775)
Dictyonota fuliginosa A. Costa, 1853
Agrotis ipsilon (Hufnagel, 1766)
Dorcus parallelipipedus (Linnaeus, 1758)
Alcis repandata (Linnaeus, 1758)
Elaphrus cupreus Duftschmid, 1812
Altica oleracea (Linnaeus, 1758)
Epinotia nisella (Clerck, 1759)
Amara aenea (De Geer, 1774)
Euchorthippus declivus (Brisout de Barneville, 1848)
Amphimallon majale (Razoumowsky, 1789)
Eupithecia haworthiata Doubleday, 1856
Amphimallon solstitiale (Linnaeus, 1758)
Eurygaster austriaca (Schrank, 1776)
Amphipyra berbera Rungs, 1949
Forficula auricularia Linnaeus, 1758
Anacampsis blattariella (Hübner, 1796)
Glyphotaelius pellucidus (Retzius, 1783)
Anania hortulata (Linnaeus, 1758)
Gymnoscelis rufifasciata (Haworth, 1809)
Anania lancealis (Denis & Schiffermüller, 1775)
Halyomorpha halys (Stål, 1855)
Anania verbascalis (Denis & Schiffermüller, 1775)
Helophilus pendulus (Linnaeus, 1758)
Anax imperator Leach, 1815
Henosepilachna argus (Geoffroy in Fourcroy, 1785)
Anax Leach, 1815
Homoeosoma sinuella (Fabricius, 1794)
Andrena curvungula C.G. Thomson, 1870
lassus Fabricius, 1803
Andrena florea Fabricius, 1793
Ilisia maculata (Meigen, 1804)
Andrena fulvago (Christ, 1791)
Cordilura albipes (Fallén, 1819)
Andrena hattorfiana (Fabricius, 1775)
Cordylepherus viridis (Fabricius, 1787)
Andrena minutula (Kirby, 1802)
Corticeus unicolor Piller & Mitterpacher, 1783
Andrena rosae Panzer, 1800
Craneiobia corni (Giraud, 1863)
Andrena trimmerana (Kirby, 1802)
Crepidodera aurea (Geoffroy, 1785)
Andricus kollari (Hartig, 1843)

Cryptocephalus Geoffroy, 1762
Andricus lucidus (Hartig, 1843)
Cryptocephalus moraei (Linnaeus, 1758)
Angerona prunaria (Linnaeus, 1758)
Cteniopus sulphureus (Linnaeus, 1758)
Anisodactylus signatus (Panzer, 1796)
Cychramus luteus (Fabricius, 1787)
Anisosticta novemdecimpunctata (Linnaeus, 1758)
Cydia amplana (Hübner, 1799)
Anobium inexpectatum Lohse, 1954
Dasineura pustulans (Rübsaamen, 1889)
Anogcodes melanurus (Fabricius, 1787)
Dasytes virens (Marsham, 1802)
Anoplotrupes stercorosus (Hartmann in Scriba, 1791)
Deraeocoris ruber (Linnaeus, 1758)
Anotylus rugosus (Fabricius, 1775)
Diastrophus rubi (Bouché, 1834)
Anthomyia procellaris Rondani, 1866
Dilta Strand, 1911
Anthonomus rubi (Herbst, 1795)
Dolycoris baccarum (Linnaeus, 1758)
Apamea epomidion (Haworth, 1809)
Dromius quadrimaculatus (Linnaeus, 1758)
Apatura ilia (Denis & Schiffermüller, 1775)
Ectropis crepuscularia (Denis & Schiffermüller, 1775)
Apertochrysa flavifrons (Brauer, 1851)
Elasmucha grisea (Linnaeus, 1758)
Aphantopus hyperantus (Linnaeus, 1758)
Enochrus melanocephalus (Olivier, 1793)
Aphidecta oblitterata (Linnaeus, 1758)
Episyrphus balteatus (De Geer, 1776)
Aphrodes carinatus (Stål, 1864)
Ethmia quadrillella (Goeze, 1783)
Aphrophora alni (Fallén, 1805)
Eudemis profundana (Denis & Schiffermüller, 1775)
Apis mellifera Linnaeus, 1758
Eumodicogryllus bordigalensis (Latreille, 1804)
Apoda limacodes (Hufnagel, 1766)
Eupithecia tripunctaria Herrich-Schäffer, 1852
Apoderus coryli (Linnaeus, 1758)
Eupterycyba jucunda (Herrich-Schäffer, 1837)
Apotomis betuletana (Haworth, 1811)
Euthrix potatoria (Linnaeus, 1758)
Aproceros leucopoda Takeuchi, 1939
Exocentrus punctipennis Mulsant & Guillebeau, 1856
Araschnia levana (Linnaeus, 1758)
Galerucella pusilla (Duftschmid, 1825)
Argynnis paphia (Linnaeus, 1758)
Geotrupini Latreille, 1802
Aricia agestis (Denis & Schiffermüller, 1775)

Gomphus pulchellus Selys, 1840
Asaphidion curtum (Heyden, 1870)
Graphosoma italicum (O.F. Müller, 1766)
Astenus immaculatus Stephens, 1833
Habrosyne pyritoides (Hufnagel, 1766)
Asthena albulata (Hufnagel, 1767)
Halictus scabiosae (Rossi, 1790)
Atelura formicaria Heyden, 1855
Harmandiola Skuhrava, 1997
Athous bicolor (Goeze, 1777)
Hartigiola annulipes (Hartig, 1839)
Aulacidea hieracii (Linnaeus, 1758)
Hemerobius micans Olivier, 1792
Austrolimnophila ochracea (Meigen, 1804)
Hemistola chrysoprasaria (Esper, 1795)
Autographa gamma (Linnaeus, 1758)
Heterogaster urticae (Fabricius, 1775)
Baccha elongata (Fabricius, 1775)
Himacerus mirmicoides (O. Costa, 1834)
Bembidion lunulatum (Geoffroy, 1785)
Hydrelia flammeolaria (Hufnagel, 1767)
Beris morrisii Dale, 1841
Hypomecis punctinalis (Scopoli, 1763)
Biphyllus lunatus (Fabricius, 1787)
Idaea biselata (Hufnagel, 1767)
Biston betularia (Linnaeus, 1758)
Idaea ochrata (Scopoli, 1763)
Bitoma crenata (Fabricius, 1775)
Ischnura elegans (Vander Linden, 1820)
Blastobasis glandulella (Riley, 1871)
Keroplatus Bosc, 1792
Blastobasis Zeller, 1855
Cordulegaster boltonii (Donovan, 1807)
Bolitophagus reticulatus (Linnaeus, 1767)
Cordulia aenea (Linnaeus, 1758)
Bombus campestris (Panzer, 1800)
Coremacera marginata (Fabricius, 1775)
Bombus hypnorum (Linnaeus, 1758)
Corizus hyoscyami (Linnaeus, 1758)
Bombus lapidarius (Linnaeus, 1758)
Cossus cossus (Linnaeus, 1758)
Bombus lucorum (Linnaeus, 1761)
Crambus pascuella (Linnaeus, 1758)
Bombus pascuorum (Scopoli, 1763)
Craniophora ligustri (Denis & Schiffermüller, 1775)
Bombus sylvestris (Lepeletier, 1833)
Crepidodera aurata (Marsham, 1802)
Bombus terrestris (Linnaeus, 1758)
Crioceris duodecimpunctata (Linnaeus, 1758)
Bombus vestalis (Geoffroy in Fourcroy, 1785)

Crunoecia irrorata (Curtis, 1834)
Brachmia blandella (Fabricius, 1798)
Cryptocephalus hypochaeridis (Linnaeus, 1758)
Brachylomia viminalis (Fabricius, 1777)
Cryptocephalus imperialis Laicharting, 1781
Brachypalpoides lentus (Meigen, 1822)
Cryptocephalus ocellatus Drapiez, 1819
Brachypterus glaber (Newman, 1834)
Cryptocephalus vittatus Fabricius, 1775
Brenthis daphne (Denis & Schiffermüller, 1775)
Ctenophora ornata Meigen, 1818
Brenthis Hübner, 1819
Cucullia scrophulariae (Denis & Schiffermüller, 1775)
Cabera exanthemata (Scopoli, 1763)
Cyclophora porata (Linnaeus, 1767)
Cabera pusaria (Linnaeus, 1758)
Cydalima perspectalis (Walker, 1859)
Callimorpha dominula (Linnaeus, 1758)
Cylindromyia bicolor (Olivier, 1811)
Calliptamus italicus (Linnaeus, 1758)
Dasineura crataegi (Winnertz, 1853)
Callopietria juvenina (Stoll in Cramer, 1782)
Dasineura ulmaria (Bremi, 1847)
Calophasia lunula (Hufnagel, 1766)
Dasytes plumbeus (O.F. Müller, 1776)
Calopteryx splendens (Harris, 1780)
Deilephila elpenor (Linnaeus, 1758)
Calopteryx virgo (Linnaeus, 1758)
Deraeocoris lutescens (Schilling, 1837)
Calopteryx virgo virgo (Linnaeus, 1758)
Dexiosoma caninum (Fabricius, 1781)
Caloptilia alchimiella (Scopoli, 1763)
Diaperis boleti (Linnaeus, 1758)
Calvia decemguttata (Linnaeus, 1767)
Dictyla humuli (Fabricius, 1794)
Cameraria ohridella Deschka & Dimi?, 1986
Didymomyia tiliacea (Bremi, 1847)
Cameraria ohridella Deschka & Dimić, 1986
Dioctria cothurnata Meigen, 1820
Camptopus lateralis (Germar, 1817)
Dolerus Panzer, 1801
Campyloneura virgula (Herrich-Schäffer, 1835)
Donacia marginata Hoppe, 1795
Cantharis lateralis Linnaeus, 1758
Drepana falcata (Linnaeus, 1758)
Cantharis nigra (De Geer, 1774)
Ecliptopera silaceata (Denis & Schiffermüller, 1775)
Caradrina morpheus (Hufnagel, 1766)
Ectobius vinzi Maurel, 2012
Carcharodus alceae (Esper, 1780)

Eilema lurideola (Zincken, 1817)
Carcina quercana (Fabricius, 1775)
Elasmotherus minor Horváth, 1899
Cassida nebulosa Linnaeus, 1758
Enargia paleacea (Esper, 1788)
Cassida rubiginosa O.F. Müller, 1776
Ennomos erosaria (Denis & Schiffermüller, 1775)
Catoptria permutatellus (Herrich-Schäffer, 1848)
Ephemera glaucops Pictet, 1843
Catoptria verellus (Zincken, 1817)
Epiphragma ocellare (Linnaeus, 1761)
Celastrina argiolus (Linnaeus, 1758)
Epitrix pubescens (Koch, 1803)
Cerceris Latreille, 1802
Eristalis tenax (Linnaeus, 1758)
Cerceris quadricincta (Panzer, 1799)
Eucallipterus tiliæ (Linnaeus, 1758)
Cercopis vulnerata Rossi, 1807
Eucosma conterminana (Guenée, 1845)
Cercyon laminatus Sharp, 1873
Eudonia Billberg, 1820
Ceriana conopsoides (Linnaeus, 1758)
Eulithis prunata (Linnaeus, 1758)
Cerodontha iridis (Hendel, 1927)
Eupeodes corollæ (Fabricius, 1794)
Cerylon ferrugineum Stephens, 1830
Eupithecia pulchellata Stephens, 1831
Cetonia aurata (Linnaeus, 1758)
Euplexia lucipara (Linnaeus, 1758)
Ceutorhynchus obstrictus (Marsham, 1802)
Euproctis chrysorrhoea (Linnaeus, 1758)
Ceutorhynchus pallidactylus (Marsham, 1802)
Eupteryx urticae (Fabricius, 1803)
Chaetorellia jaceae (Robineau-Desvoidy, 1830)
Eurygaster testudinaria (Geoffroy in Fourcroy, 1785)
Chalcolestes viridis (Vander Linden, 1825)
Euura proxima (Audinet-Serville, 1823)
Cheilosia illustrata (Harris, 1780)
Exocentrus adspersus Mulsant, 1846
Chelostoma campanularum (Kirby, 1802)
Falcaria lacertinaria (Linnaeus, 1758)
Chirosia grossicauda Strobl, 1899
Formica sanguinea Latreille, 1798
Chloroclystis v-ata (Haworth, 1809)
Geometra papilionaria (Linnaeus, 1758)
Chloromyia formosa (Scopoli, 1763)
Geomyza tripunctata Fallén, 1823
Choerades fimbriata (Meigen, 1820)
Glocianus punctiger (C.R. Sahlberg, 1835)
Chorthippus albomarginatus (De Geer, 1773)

Gomphocerippus rufus (Linnaeus, 1758)
Chorthippus biguttulus (Linnaeus, 1758)
Gonepteryx rhamni (Linnaeus, 1758)
Chorthippus brunneus (Thunberg, 1815)
Graphopsocus cruciatus (Linnaeus, 1768)
Chromatomyia scolopendri (Robineau-Desvoidy, 1851)
Gymnetron villosulum Gyllenhal, 1838
Chrysochraon dispar (Germar, 1834)
Gypsonoma dealbana (Frölich, 1828)
Chrysocrambus linetella (Fabricius, 1781)
Hadena bicruris (Hufnagel, 1766)
Chrysolina americana (Linnaeus, 1758)
Halictus Latreille, 1804
Chrysolina herbacea (Duftschmid, 1825)
Halticus apterus (Linnaeus, 1758)
Chrysoperla carnea (Stephens, 1836)
Halizia sedecimguttata (Linnaeus, 1758)
Chrysoperla Steinmann, 1964
Harmandiola tremulae (Winnertz, 1853)
Chrysopilus asiliformis (Preyssler, 1791)
Harpalus affinis (Schränk, 1781)
Chrysopilus cristatus (Fabricius, 1775)
Heliothis virescens (Hufnagel, 1766)
Chrysopini Schneider, 1851
Helophorus Fabricius, 1775
Chrysops caecutiens (Linnaeus, 1758)
Hemicoelus fulvicornis (Sturm, 1837)
Chrysops Meigen, 1803
Hemipenthes morio (Linnaeus, 1758)
Chrysops relictus Meigen, 1820
Hemithea aestivaria (Hübner, 1789)
Chrysops viduatus (Fabricius, 1794)
Hermaphysalis mercenaria (Fabricius, 1792)
Chrysoteuchia culmella (Linnaeus, 1758)
Heteroptera Latreille, 1810
Chrysotoxum bicinctum (Linnaeus, 1758)
Himacerus apterus (Fabricius, 1798)
Cicadella viridis (Linnaeus, 1758)
Hippodamia variegata (Goeze, 1777)
Cicindela campestris Linnaeus, 1758
Hyalochilus ovatus (A. Costa, 1853)
Cionus tuberculatus (Scopoli, 1763)
Hydriomena furcata (Thunberg & Borgström, 1784)
Closterotomus ventralis (Reuter, 1879)
Hypomecis Hübner, 1821
Clytra laeviuscula Ratzeburg, 1837
Hypomecis roboraria (Denis & Schiffermüller, 1775)
Coccinella septempunctata Linnaeus, 1758
Idaea aversata (Linnaeus, 1758)
Coenagrion puella (Linnaeus, 1758)

Idaea dimidiata (Hufnagel, 1767)
Coenagrionoidea
Idaea humiliata (Hufnagel, 1767)
Coenonympha pamphilus (Linnaeus, 1758)
Idaea rusticata (Denis & Schiffermüller, 1775)
Colobopsis truncata (Spinola, 1808)
Iphiclides podalirius (Linnaeus, 1758)
Colocasia coryli (Linnaeus, 1758)
Isodontia mexicana (Saussure, 1867)
Conocephalus fuscus (Fabricius, 1793)
Jodis lactearia (Linnaeus, 1758)
Conocephalus Thunberg, 1815
Acanthiophilus helianthi (Rossi, 1794)
Coptosoma scutellatum (Geoffroy, 1785)
Lichens
Polyporales Gäum., 1926
Candelaria concolor (Dicks.) Arnold, 1879
Ramalina fastigiata (Pers.) Ach., 1810
Flavoparmelia caperata (L.) Hale, 1986
Peltigera praetextata (Flörke ex Sommerf.) Zopf, 1909
Fungi R.T.Moore, 1980
Punctelia Krog, 1982
Parmelia sulcata Taylor, 1836
Xanthoria parietina (L.) Th.Fr., 1860
Parmotrema perlatum (Huds.) M.Choisy, 1952
Peltigera membranacea (Ach.) Nyl., 1887
Mammifères
Capreolus capreolus (Linnaeus, 1758)
Sciurus vulgaris Linnaeus, 1758
Nyctalus leisleri (Kuhl, 1817)
Cervus elaphus Linnaeus, 1758
Talpa europaea Linnaeus, 1758
Eptesicus serotinus (Schreber, 1774)
Myotis mystacinus (Kuhl, 1817)
Erinaceus europaeus Linnaeus, 1758
Pipistrellus pipistrellus (Schreber, 1774)
Lepus europaeus Pallas, 1778
Sus scrofa Linnaeus, 1758
Martes foina (Erxleben, 1777)
Vulpes vulpes (Linnaeus, 1758)
Myocastor coypus (Molina, 1782)
Myotis emarginatus (É. Geoffroy Saint-Hilaire, 1806)
Mousses
Orthotrichum Hedw., 1801
Thamnobryum alopecurum (Hedw.) Gangulee
Plagiomnium undulatum (Hedw.) T.J.Kop., 1968
Calliergonella cuspidata (Hedw.) Loeske, 1911
Mnium hornum Hedw., 1801
Eurhynchium striatum (Schreb.ex Hedw.) Schimp., 1856
Oxyrrhynchium hians (Hedw.) Loeske, 1907

Fissidens Hedw., 1801
Polytrichum formosum Hedw., 1801
Hypnum cupressiforme Hedw., 1801
Atrichum undulatum (Hedw.) P.Beauv., 1805
Kindbergia praelonga (Hedw.) Ochyra, 1982
Myriapodes
Tachypodoiulus niger (Leach, 1814)
Scutigera coleoptrata (Linnaeus, 1758)
Glomeris marginata (Villers, 1789)
Henia vesuviana (Newport, 1844)
Oiseaux
Turdus philomelos C.L. Brehm, 1831
Phylloscopus trochilus (Linnaeus, 1758)
Muscicapa striata (Pallas, 1764)
Acrocephalus palustris (Bechstein, 1798)
Streptopelia decaocto (Frivaldszky, 1838)
Acrocephalus scirpaceus (Hermann, 1804)
Hirundo rustica Linnaeus, 1758
Aegithalos caudatus (Linnaeus, 1758)
Pernis apivorus (Linnaeus, 1758)
Alauda arvensis Linnaeus, 1758
Prunella modularis (Linnaeus, 1758)
Anas platyrhynchos Linnaeus, 1758
Sylvia borin (Boddaert, 1783)
Anthus trivialis (Linnaeus, 1758)
Gallinula chloropus (Linnaeus, 1758)
Apus apus (Linnaeus, 1758)
Motacilla alba Linnaeus, 1758
Ardea cinerea Linnaeus, 1758
Passer domesticus (Linnaeus, 1758)
Asio otus (Linnaeus, 1758)
Phoenicurus ochruros (S.G. Gmelin, 1774)
Branta canadensis (Linnaeus, 1758)
Picus viridis Linnaeus, 1758
Buteo buteo (Linnaeus, 1758)
Regulus ignicapilla (Temminck, 1820)
Carduelis carduelis (Linnaeus, 1758)
Sturnus vulgaris Linnaeus, 1758
Certhia brachydactyla C.L. Brehm, 1820
Troglodytes troglodytes (Linnaeus, 1758)
Cettia cetti (Temminck, 1820)
Accipiter nisus (Linnaeus, 1758)
Chloris chloris (Linnaeus, 1758)
Garrulus glandarius (Linnaeus, 1758)
Coccothraustes coccothraustes (Linnaeus, 1758)
Milvus migrans (Boddaert, 1783)
Columba oenas Linnaeus, 1758
Motacilla cinerea Tunstall, 1771
Columba palumbus Linnaeus, 1758
Parus major Linnaeus, 1758

Corvus corone Linnaeus, 1758
Periparus ater (Linnaeus, 1758)
Corvus monedula Linnaeus, 1758
Phasianus colchicus Linnaeus, 1758
Corvus monedula monedula Linnaeus, 1758
Phylloscopus collybita (Vieillot, 1817)
Cyanistes caeruleus (Linnaeus, 1758)
Pica pica (Linnaeus, 1758)
Delichon urbicum (Linnaeus, 1758)
Poecile palustris (Linnaeus, 1758)
Dendrocopos major (Linnaeus, 1758)
Psittacula krameri (Scopoli, 1769)
Dendrocopos medius (Linnaeus, 1758)
Sitta europaea Linnaeus, 1758
Dryocopus martius (Linnaeus, 1758)
Strix aluco Linnaeus, 1758
Emberiza citrinella Linnaeus, 1758
Sylvia atricapilla (Linnaeus, 1758)
Erithacus rubecula (Linnaeus, 1758)
Sylvia communis Latham, 1787
Falco subbuteo Linnaeus, 1758
Turdus merula Linnaeus, 1758
Falco tinnunculus Linnaeus, 1758
Turdus viscivorus Linnaeus, 1758
Fringilla coelebs Linnaeus, 1758
Fulica atra Linnaeus, 1758
Poissons
Gasterosteus aculeatus Linnaeus, 1758
Barbatula barbatula (Linnaeus, 1758)
Ptéridophytes
Equisetum arvense L., 1753
Pteridium aquilinum subsp. aquilinum (L.) Kuhn, 1879
Equisetum telmateia Ehrh., 1783
Asplenium scolopendrium L., 1753
Dryopteris filix-mas (L.) Schott, 1834
Athyrium filix-femina (L.) Roth, 1799
Equisetum pratense Ehrh., 1784
Dryopteris affinis s. l.
Pteridium aquilinum (L.) Kuhn, 1879
Dryopteris carthusiana (Vill.) H.P.Fuchs, 1959
Asplenium ruta-muraria L., 1753
Dryopteris dilatata (Hoffm.) A.Gray, 1848
Reptiles
Zootoca vivipara (Lichtenstein, 1823)
Podarcis muralis (Laurenti, 1768)
Anguis fragilis Linnaeus, 1758
Anguis Linnaeus, 1758