

Liste totale des espèces inventoriées sur la commune de Saint-Martin-du-Tertre

Amphibiens

Rana temporaria temporaria Linnaeus, 1758

Rana temporaria Linnaeus, 1758

Bufo bufo (Linnaeus, 1758)

Rana dalmatina Fitzinger in Bonaparte, 1838

Angiospermes (plantes à fleurs)

Vicia tetrasperma (L.) Schreb., 1771

Quercus petraea (Matt.) Liebl., 1784

Mercurialis perennis L., 1753

Acer platanoides L., 1753

Sisymbrium officinale (L.) Scop., 1772

Acer pseudoplatanus L., 1753

Lotus pedunculatus Cav., 1793

Achillea millefolium L., 1753

Plantago major L., 1753

Aesculus hippocastanum L., 1753

Rumex acetosa L., 1753 [nom. et typ. cons.]

Agrimonia eupatoria L., 1753

Trifolium pratense L., 1753

Agrostis capillaris L., 1753

Lapsana communis L., 1753

Agrostis gigantea Roth, 1788

Malva moschata L., 1753

Agrostis stolonifera L., 1753

Parthenocissus inserta (A.Kern.) Fritsch, 1922

Ajuga reptans L., 1753

Potentilla indica (Andrews) Th.Wolf, 1904

Alliaria petiolata (M.Bieb.) Cavara & Grande, 1913

Reynoutria japonica Houtt., 1777

Allium ursinum L., 1753

Schedonorus giganteus (L.) Holub, 1998

Allium vineale L., 1753

Stachys sylvatica L., 1753

Alnus glutinosa (L.) Gaertn., 1790

Verbascum lychnitis L., 1753

Alopecurus myosuroides Huds., 1762

Juncus tenuis Willd., 1799

Amaranthus albus L., 1759

Ligustrum vulgare L., 1753

Anisantha diandra (Roth) Tutin ex Tzvelev, 1963

Lysimachia arvensis (L.) U.Manns & Anderb., 2009

Anisantha sterilis (L.) Nevski, 1934

Matricaria discoidea DC., 1838

Arctium lappa L., 1753

Origanum vulgare L., 1753

Arctium minus (Hill) Bernh., 1800

Phalaris arundinacea L., 1753

Arctium nemorosum Lej., 1833
Polygonatum multiflorum (L.) All., 1785
Argentina anserina (L.) Rydb., 1899
Prunus laurocerasus L., 1753
Arrhenatherum elatius (L.) P.Beauv. ex J.Presl & C.Presl, 1819
Ranunculus repens L., 1753
Artemisia biennis Willd., 1794
Rosa canina L., 1753
Artemisia verlotiorum Lamotte, 1877
Rumex sanguineus L., 1753
Artemisia vulgaris L., 1753
Scutellaria galericulata L., 1753
Arum L., 1753
Sonchus asper (L.) Hill, 1769
Avena fatua L., 1753
Teucrium scorodonia L., 1753
Avenella flexuosa (L.) Drejer, 1838
Ulmus minor Mill., 1768
Bellis perennis L., 1753
Veronica montana L., 1755
Berula erecta (Huds.) Coville, 1893
Viscum album L., 1753
Betula pendula Roth, 1788
Lactuca serriola L., 1756
Betula pubescens Ehrh., 1791
Lathyrus pratensis L., 1753
Blackstonia perfoliata (L.) Huds., 1762
Lonicera periclymenum L., 1753
Brachypodium sylvaticum (Huds.) P.Beauv., 1812
Lycopsis arvensis L., 1753
Brassica L., 1753
Lysimachia nummularia L., 1753
Bromus hordeaceus L., 1753
Malva sylvestris L., 1753
Bryonia dioica Jacq., 1774
Mentha arvensis L., 1753
Bryonia L., 1753
Myosotis ramosissima Rochel, 1814
Buddleja davidii Franch., 1887
Papaver rhoeas L., 1753
Calamagrostis epigejos (L.) Roth, 1788
Persicaria lapathifolia (L.) Delarbre, 1800
Calluna vulgaris (L.) Hull, 1808
Phragmites australis (Cav.) Trin. ex Steud., 1840
Campanula rapunculus L., 1753
Poa nemoralis L., 1753
Carduus crispus L., 1753
Polypogon monspeliensis (L.) Desf., 1798
Carex acutiformis Ehrh., 1789
Prunella vulgaris L., 1753
Carex flacca Schreb., 1771

Pulicaria dysenterica (L.) Bernh., 1800
Carex hirta L., 1753
Rabelera holostea (L.) M.T.Sharples & E.A.Tripp, 2019
Carex pendula Huds., 1762
Reseda lutea L., 1753
Carex remota L., 1755
Robinia pseudoacacia L., 1753
Carex sylvatica Huds., 1762
Rubus caesius L., 1753
Carpinus betulus L., 1753
Rumex crispus L., 1753
Castanea sativa Mill., 1768
Salix cinerea L., 1753
Centaurea nigra L., 1753
Scrophularia auriculata L., 1753 [nom. et typ. cons.]
Centaurium erythraea Rafn, 1800
Setaria verticillata (L.) P.Beauv., 1812
Chaenorhinum minus (L.) Lange, 1870
Solanum nigrum L., 1753
Chaerophyllum temulum L., 1753
Sorbus aucuparia L., 1753
Chamaenerion angustifolium (L.) Scop., 1771
Symphytum officinale L., 1753
Chenopodium murale (L.) S.Fuentes, Uotila & Borsch, 2012
Torilis arvensis (Huds.) Link, 1821
Chenopodium album L., 1753
Ulex europaeus L., 1753
Circaea lutetiana L., 1753
Urtica urens L., 1753
Cirsium arvense (L.) Scop., 1772
Verbena officinalis L., 1753
Cirsium palustre (L.) Scop., 1772
Viburnum lantana L., 1753
Cirsium vulgare (Savi) Ten., 1838
Vincetoxicum hirundinaria Medik., 1790
Clematis vitalba L., 1753
Acer campestre L., 1753
Convolvulus arvensis L., 1753
Lactuca muralis (L.) Gaertn., 1791
Convolvulus sepium L., 1753
Lamium album L., 1753
Cornus sanguinea L., 1753
Lathyrus latifolius L., 1753
Corylus avellana L., 1753
Lemna minor L., 1753
Crataegus monogyna Jacq., 1775
Lolium perenne L., 1753
Crepis capillaris (L.) Wallr., 1840
Lonicera xylosteum L., 1753
Crepis setosa Haller f., 1797
Luzula pilosa (L.) Willd., 1809

Cruciata laevipes Opiz, 1852
Lycopus europaeus L., 1753
Cyanus segetum Hill, 1762
Lysimachia nemorum L., 1753
Cytisus scoparius (L.) Link, 1822
Malva alcea L., 1753
Dactylis glomerata L., 1753
Malva neglecta Wallr., 1824
Datura stramonium L., 1753
Matricaria chamomilla L., 1753
Daucus carota L., 1753
Melica uniflora Retz., 1779
Deschampsia cespitosa (L.) P.Beauv., 1812
Mercurialis annua L., 1753
Digitalis purpurea L., 1753
Milium effusum L., 1753
Dipsacus fullonum L., 1753
Oenothera glazioviana Micheli, 1875
Dipsacus pilosus L., 1753
Papaver dubium L., 1753
Echinochloa crus-galli (L.) P.Beauv., 1812
Paris quadrifolia L., 1753
Echium vulgare L., 1753
Persicaria hydropiper (L.) Spach, 1841
Elytrigia repens (L.) Desv. ex Nevski, 1934
Persicaria maculosa Gray, 1821 [nom. cons.]
Epilobium hirsutum L., 1753
Phleum pratense L., 1753
Epilobium lanceolatum Sebast. & Mauri, 1818
Plantago lanceolata L., 1753
Epilobium montanum L., 1753
Poa annua L., 1753
Epilobium parviflorum Schreb., 1771
Poa trivialis L., 1753
Epilobium tetragonum L., 1753
Polygonum aviculare L., 1753
Erigeron canadensis L., 1753
Populus tremula L., 1753
Ervum tetraspermum L., 1753
Potentilla reptans L., 1753
Euonymus europaeus L., 1753
Prunus avium (L.) L., 1755
Eupatorium cannabinum L., 1753
Prunus spinosa L., 1753
Euphorbia amygdaloides L., 1753
Pyrus communis L., 1753
Euphorbia maculata L., 1753
Quercus robur L., 1753
Fagus sylvatica L., 1753
Ranunculus acris L., 1753
Fallopia convolvulus (L.) Á.Löve, 1970

Ranunculus sceleratus L., 1753
Ficaria verna Huds., 1762
Reseda luteola L., 1753
Filipendula ulmaria (L.) Maxim., 1879
Ribes rubrum L., 1753
Fraxinus excelsior L., 1753
Rosa arvensis Huds., 1762
Galeopsis tetrahit L., 1753
Rostraria cristata (L.) Tzvelev, 1971
Galium album Mill., 1768
Rubus fruticosus L., 1753 [nom. et typ. cons.]
Galium aparine L., 1753
Rumex conglomeratus Murray, 1770
Geranium dissectum L., 1755
Rumex obtusifolius L., 1753
Geranium molle L., 1753
Salix caprea L., 1753
Geranium robertianum L., 1753
Sambucus nigra L., 1753
Geum urbanum L., 1753
Scolymus hispanicus L., 1753
Glechoma hederacea L., 1753
Scrophularia nodosa L., 1753
Glyceria fluitans (L.) R.Br., 1810
Senecio vulgaris L., 1753
Hedera helix L., 1753
Silene latifolia Poir., 1789
Helminthotheca echioides (L.) Holub, 1973
Solanum dulcamara L., 1753
Heracleum sphondylium L., 1753
Solidago canadensis L., 1753
Holcus lanatus L., 1753
Sonchus oleraceus L., 1753
Hordeum murinum L., 1753
Spirodela polyrhiza (L.) Schleid., 1839
Humulus lupulus L., 1753
Stellaria graminea L., 1753
Hyacinthoides non-scripta (L.) Chouard ex Rothm., 1944
Taraxacum F.H.Wigg., 1780
Hypericum hirsutum L., 1753
Tilia platyphyllos Scop., 1771 [nom. et typ. cons.]
Hypericum maculatum Crantz, 1763
Torilis japonica (Houtt.) DC., 1830
Hypericum perforatum L., 1753
Trifolium repens L., 1753
Hypericum pulchrum L., 1753
Ulmus glabra Huds., 1762
Hypochaeris radicata L., 1753
Urtica dioica L., 1753
Ilex aquifolium L., 1753
Vaccinium myrtillus L., 1753

Iris foetidissima L., 1753
Verbascum thapsus L., 1753
Jacobaea Mill., 1754
Veronica chamaedrys L., 1753
Jacobaea vulgaris Gaertn., 1791
Veronica persica Poir., 1808
Juglans regia L., 1753
Vicia sepium L., 1753
Juncus articulatus L., 1753
Vicia villosa Roth, 1793
Juncus conglomeratus L., 1753
Viola L., 1753
Juncus effusus L., 1753
Vulpia myuros (L.) C.C.Gmel., 1805
Juncus inflexus L., 1753
Juncus L., 1753
Annélides
Allolobophora Eisen, 1874
Arachnides
Heliophanus cupreus (Walckenaer, 1802)
Parasteatoda lunata (Clerck, 1758)
Metellina merianae (Scopoli, 1763)
Aceria campestricola (Frauenfeld, 1865)
Theridion melanurum Hahn, 1831
Aceria cephaloneus (Nalepa, 1922)
Lacinius ephippiatus (C.L.Koch, 1835)
Aceria fraxinivora (Nalepa, 1909)
Neon Simon, 1876
Aceria macrochela (Nalepa, 1891)
Piratula hygrophila (Thorell, 1872)
Aceria macrorhyncha (Nalepa, 1889)
Acalitus stenaspis (Nalepa, 1891)
Aceria myriadeum (A.Murray, 1877)
Histocona torpida (C.L. Koch, 1837)
Aceria pseudoplatani (Corti, 1905)
Linyphia triangularis (Clerck, 1758)
Aculus tetanothrix (Nalepa, 1889)
Micrommata virescens (Clerck, 1758)
Agelenatea redii (Scopoli, 1763)
Nuctenea umbratica (Clerck, 1758)
Agelena labyrinthica (Clerck, 1758)
Philodromus rufus Walckenaer, 1826
Agelena Walckenaer, 1805
Runcinia grammica (C.L. Koch, 1837)
Amaurobius ferox (Walckenaer, 1830)
Zelotes Gistel, 1848
Araneoidea Latreille, 1806
Evarcha arcuata (Clerck, 1758)
Araneus angulatus Clerck, 1758
Heliophanus flavipes (Hahn, 1832)

Araneus diadematus Clerck, 1758
Ixodes ricinus (Linnaeus, 1758)
Argiope bruennichi (Scopoli, 1772)
Leiobunum rotundum (Latreille, 1798)
Chthonius C.L. Koch, 1843
Mangora acalypha (Walckenaer, 1802)
Clubiona terrestris Westring, 1851
Microlinyphia pusilla (Sundevall, 1830)
Coelotes terrestris (Wider, 1834)
Misumena vatia (Clerck, 1758)
Cyclosa conica (Pallas, 1772)
Neottiura bimaculata (Linnaeus, 1767)
Diaea dorsata (Fabricius, 1777)
Opilio canestrinii (Thorell, 1876)
Dicranopalpus ramosus (Simon, 1909)
Philodromus albidus Kulczy?ski, 1911
Drassodes Westring, 1851
Phytoptus avellanae Nalepa, 1889
Enoplognatha ovata (Clerck, 1758)
Pisaura mirabilis (Clerck, 1758)
Episinus maculipes Cavanna, 1876
Salticus zebraneus (C.L. Koch, 1837)
Eriophyes inangulis Nalepa, 1919
Trachyzelotes pedestris (C.L. Koch, 1837)
Eriophyes laevis (Nalepa, 1889)
Zelotes subterraneus (C.L. Koch, 1833)
Eriophyes tiliae (Pagenstecher, 1857)
Ero C. L. Koch, 1836
Autres (Fonge)
Puccinia circaeae Pers., 1794
Lycogala Adans., 1763
Scutellinia (Cooke) Lambotte, 1887
Aegerita candida Pers., 1794
Marasmius rotula (Scop.) Fr., 1838
Boletus aestivalis (Paulet) Fr., 1838
Reticularia lycoperdon Bull., 1790
Ceratiomyxa fruticulosa (O.F.Müll.) T.Macbr., 1899
Trametes versicolor (L.) Lloyd, 1921
Coprinellus micaceus (Bull.) Vilgalys, Hopple & Jacq.Johnson, 2001
Lycogala epidendrum (J.C.Buxb. ex L.) Fr., 1829
Coprinopsis strossmayeri (Schulzer) Redhead, Vilgalys & Moncalvo, 2001
Pseudomicrostroma juglandis (Bérenger, 2017)
Fomes fomentarius (L.) Fr., 1849
Reticularia Bull., 1788
Fomitopsis pinicola (Sw.) P.Karst., 1881
Scleroderma verrucosum (Bull.) Pers., 1801
Hymenoscyphus fraxineus (T.Kowalski) Baral, Queloz & Hosoya, 2014
Trametes gibbosa (Pers.) Fr., 1838
Lentinus Fr., 1825
Aecidium clematidis DC., 1805

Lentinus tigrinus (Bull.) Fr., 1825
Crustacés
Oniscus asellus Linnaeus, 1758
Trachelipus rathkii (Brandt, 1833)
Porcellio monticola Lereboullet, 1853
Armadillidium nasatum Budde-Lund, 1885
Trichoniscus pygmaeus G.O. Sars, 1899
Armadillidium opacum (Koch, 1844)
Philoscia muscorum (Scopoli, 1763)
Armadillidium vulgare (Latreille, 1804)
Porcellio scaber Latreille, 1804
Asellus (Asellus) aquaticus (Linnaeus, 1758)
Trichoniscus Brandt, 1833
Haplophthalmus danicus Budde-Lund, 1880
Androniscus dentiger Verhoeff, 1908
Hyloniscus riparius (Koch, 1838)
Entognathes
Lepidocyrtus lignorum (Fabricius, 1793)
Tomocerus vulgaris (Tullberg, 1871)
Orchesella villosa (Geoffroy, 1762)
Heteromurus nitidus (Templeton, 1835)
Allacma fusca (Linnaeus, 1758)
Isotoma viridis Bourlet, 1839
Gastéropodes
Hygromia cinctella (Draparnaud, 1801)
Zonitoides nitidus (O.F. Müller, 1774)
Monacha cartusiana (O.F. Müller, 1774)
Arion hortensis A. Férussac, 1819
Helicodonta obvoluta (O.F. Müller, 1774)
Arion rufus (Linnaeus, 1758)
Limax maximus Linnaeus, 1758
Arion vulgaris Moquin-Tandon, 1855
Oxychilus draparnaudi (H. Beck, 1837)
Backeljaia gigaxii (L. Pfeiffer, 1847)
Graphis Jeffreys, 1867
Cepaea hortensis (O.F. Müller, 1774)
Helix pomatia Linnaeus, 1758
Cepaea nemoralis (Linnaeus, 1758)
Lehmannia marginata (O.F. Müller, 1774)
Clausilia bidentata (Strøm, 1765)
Macrogastra rolpheii (W. Turton, 1826)
Cochlodina laminata (Montagu, 1803)
Monachoides incarnatus (O.F. Müller, 1774)
Cornu aspersum (O.F. Müller, 1774)
Pomatias elegans (O.F. Müller, 1774)
Deroceras Rafinesque, 1820
Arion A. Férussac, 1819
Discus rotundatus (O.F. Müller, 1774)
Hépatiques et Anthocérotés
Metzgeria furcata (L.) Corda, 1829

Apopellia endiviifolia (Dicks.) Nebel & D.Quandt, 2016
Radula complanata (L.) Dumort., 1831
Conocephalum conicum (L.) Dumort., 1822
Lunularia cruciata (L.) Dumort. ex Lindb., 1868
Insectes
Pyrausta despicata (Scopoli, 1763)
Philereme vetulata (Denis & Schiffermüller, 1775)
Teleiodes luculella (Hübner, 1813)
Iphiclides podalirius (Linnaeus, 1758)
Plutella xylostella (Linnaeus, 1758)
Ischnura elegans (Vander Linden, 1820)
Sisyra nigra (Retzius, 1783)
Jodis lactearia (Linnaeus, 1758)
Tropideres albirostris (Schaller, 1783)
Katha depressa (Esper, 1787)
Phytomyza ilicis Curtis, 1846
Labidostomis longimana (Linnaeus, 1761)
Pseudolimnophila sepium (Verrall, 1886)
Lacanobia oleracea (Linnaeus, 1758)
Salpingus planirostris (Fabricius, 1787)
Lacanobia splendens (Hübner, 1808)
Stenus clavicornis (Scopoli, 1763)
Laccophilus minutus (Linnaeus, 1758)
Tipula helvola Loew, 1873
Laemophloeidae Ganglbauer, 1899
Watsonalla binaria (Hufnagel, 1767)
Lagria Fabricius, 1775
Phycita roborella (Denis & Schiffermüller, 1775)
Lagria hirta (Linnaeus, 1758)
Pithanus maerkelii (Herrich-Schäffer, 1838)
Lampyris noctiluca (Linnaeus, 1758)
Polyphaenis sericata (Esper, 1787)
Laothoe populi (Linnaeus, 1758)
Pterophorus pentadactylus (Linnaeus, 1758)
Larinus carlinae (Olivier, 1807)
Rhopalus subrufus (Gmelin, 1790)
Lasiocampa quercus (Linnaeus, 1758)
Scopula nigropunctata (Hufnagel, 1767)
Lasioglossum sexnotatum (Kirby, 1802)
Sphaerophoria scripta (Linnaeus, 1758)
Lasius brunneus (Latreille, 1798)
Sylvicola cinctus (Fabricius, 1787)
Lasius emarginatus (Olivier, 1792)
Thaumastoptera calceata Mik, 1866
Lauritrioza alacris (Flor, 1861)
Tischeria ekebladella (Bjerkander, 1795)
Ledra aurita (Linnaeus, 1758)
Vanessa atalanta (Linnaeus, 1758)
Leiopus femoratus Fairmaire, 1859
Yponomeuta padella (Linnaeus, 1758)

Lepidoptera Linnaeus, 1758
Phosphuga atrata (Linnaeus, 1758)
Leptogaster cylindrica (De Geer, 1776)
Phyllotreta ochripes (Curtis, 1837)
Leptophyes punctatissima (Bosc, 1792)
Pieris napi (Linnaeus, 1758)
Leptopterna dolabrata (Linnaeus, 1758)
Planuncus vinzi (Maurel, 2012)
Leptura aurulenta Fabricius, 1792
Polistes dominula (Christ, 1791)
Leptura quadrifasciata Linnaeus, 1758
Psectrotanypus varius (Fabricius, 1787)
Leucania obsoleta (Hübner, 1803)
Psyllobora vigintiduopunctata (Linnaeus, 1758)
Leucophenga maculata (Dufour, 1839)
Ptilodon cucullina (Denis & Schiffermüller, 1775)
Leucoptera laburnella (Stainton, 1851)
Recurvaria leucateella (Clerck, 1759)
Libellula depressa Linnaeus, 1758
Roeseliana roeselii (Hagenbach, 1822)
Libellula fulva O.F. Müller, 1764
Scaeva pyrastris (Linnaeus, 1758)
Libellula quadrimaculata Linnaeus, 1758
Selenia tetralunaria (Hufnagel, 1767)
Ligdia adustata (Denis & Schiffermüller, 1775)
Sitona obsoletus obsoletus (Gmelin, 1790)
Limenitis camilla (Linnaeus, 1764)
Stenagostus rhombeus (Olivier, 1790)
Limodromus assimilis (Paykull, 1790)
Stictoleptura rubra (Linnaeus, 1758)
Limonia macrostigma (Schummel, 1829)
Synaphe punctalis (Fabricius, 1775)
Limonia nubeculosa Meigen, 1804
Tethea ocularis (Linnaeus, 1767)
Limonia trivittata (Schummel, 1829)
Thymelicus sylvestris (Poda, 1761)
Liocoris tripustulatus (Fabricius, 1781)
Tipula maxima Poda, 1761
Liophloeus tessulatus (O.F. Müller, 1776)
Trichoptera Kirby, 1813
Liparus coronatus (Goeze, 1777)
Uleiota planata (Linnaeus, 1761)
Lithosia quadra (Linnaeus, 1758)
Vespula vulgaris (Linnaeus, 1758)
Lomaspilis marginata (Linnaeus, 1758)
Xylota segnis (Linnaeus, 1758)
Lopheros rubens (Gyllenhal, 1817)
Zeuzera pyrina (Linnaeus, 1761)
Loxostege sticticalis (Linnaeus, 1761)
Pholidoptera griseoptera (De Geer, 1773)
Lucanus cervus (Linnaeus, 1758)

Phratora Chevrolat, 1836
Lycaena phlaeas (Linnaeus, 1761)
Phyllonorycter coryli (Nicelli, 1851)
Lygistropterus sanguineus (Linnaeus, 1758)
Phylus melanocephalus (Linnaeus, 1767)
Lygocoris pabulinus (Linnaeus, 1761)
Pieris brassicae (Linnaeus, 1758)
Lygus pratensis (Linnaeus, 1758)
Pilaria discicollis (Meigen, 1818)
Lymantria dispar (Linnaeus, 1758)
Plagodis dolabraria (Linnaeus, 1767)
Lymantria monacha (Linnaeus, 1758)
Platyptilia gonodactyla (Denis & Schiffermüller, 1775)
Lytta vesicatoria (Linnaeus, 1758)
Podalonia Fernald, 1927
Macaria alternata (Denis & Schiffermüller, 1775)
Polygonia c-album (Linnaeus, 1758)
Macaria liturata (Clerck, 1759)
Propylea quatuordecimpunctata (Linnaeus, 1758)
Macaria notata (Linnaeus, 1758)
Pseudochorthippus parallelus parallelus (Zetterstedt, 1821)
Macaria wauaria (Linnaeus, 1758)
Pseudopostega crepusculella (Zeller, 1839)
Macrochilo cribrumalis (Hübner, 1793)
Psyllopsis Löw, 1879
Macroglossum stellatarum (Linnaeus, 1758)
Pterostichus madidus (Fabricius, 1775)
Macrophya annulata (Geoffroy in Fourcroy, 1785)
Ptychoptera lacustris Meigen, 1830
Malacosoma neustria (Linnaeus, 1758)
Pyroderces argyrogrammos (Zeller, 1847)
Malthinus flaveolus (Herbst, 1786)
Rhagonycha fulva (Scopoli, 1763)
Malthinus Latreille, 1806
Rhyzobius litura (Fabricius, 1787)
Mamestra brassicae (Linnaeus, 1758)
Rutpela maculata (Poda, 1761)
Maniola jurtina (Linnaeus, 1758)
Sarcophaga carnaria (Linnaeus, 1758)
Manulea complana (Linnaeus, 1758)
Scopariinae Guenée, 1854
Meconema meridionale A. Costa, 1860
Selenia dentaria (Fabricius, 1775)
Meconema thalassinum (De Geer, 1773)
Serica brunnea (Linnaeus, 1758)
Megaloceroea recticornis (Geoffroy, 1785)
Sitona lineatus (Linnaeus, 1758)
Meganola albula (Denis & Schiffermüller, 1775)
Sphaerophoria Lepeletier de Saint-Fargeau & Audinet-Serville in Latreille, 1828
Melanargia galathea (Linnaeus, 1758)
Spilonota ocellana (Denis & Schiffermüller, 1775)

Melanchra persicariae (Linnaeus, 1761)
Stenotus binotatus (Fabricius, 1794)
Melanostoma mellinum (Linnaeus, 1758)
Stenus nitidiusculus Stephens, 1833
Melanostoma scalare (Fabricius, 1794)
Strophosoma melanogrammum (Forster, 1771)
Melanostoma Schiner, 1860
Sympecma fusca (Vander Linden, 1820)
Melanthia procellata (Denis & Schiffermüller, 1775)
Tachyporus Gravenhorst, 1802
Menophra abruptaria (Thunberg, 1792)
Tephritis bardanae (Schränk, 1803)
Mesoligia furuncula (Denis & Schiffermüller, 1775)
Tetrix tenuicornis (Sahlberg, 1891)
Metalampra Toll, 1956
Thumatha senex (Hübner, 1808)
Metalimnobia bifasciata (Schränk, 1781)
Tipula cava Riedel, 1913
Metatropis rufescens (Herrich-Schäffer, 1835)
Tipula Linnaeus, 1758
Metylophorus nebulosus (Stephens, 1836)
Tipula scripta Meigen, 1830
Metzneria lappella (Linnaeus, 1758)
Trachea atriplicis (Linnaeus, 1758)
Micromus variegatus (Fabricius, 1793)
Trisateles emortualis (Denis & Schiffermüller, 1775)
Microrhagus emyi (Rouget, 1856)
Tytthaspis sedecimpunctata (Linnaeus, 1761)
Mikiola fagi (Hartig, 1839)
Uloma culinaris (Linnaeus, 1758)
Miltochrista miniata (Forster, 1771)
Vespa crabro Linnaeus, 1758
Minettia longipennis (Fabricius, 1794)
Villa hottentotta (Linnaeus, 1758)
Miridae Hahn, 1833
Xanthorhoe designata (Hufnagel, 1767)
Miridius quadrivirgatus (A. Costa, 1853)
Xylotrechus arvicola (Olivier, 1800)
Molophilus appendiculatus (Staeger, 1840)
Zanclognatha lunalis (Scopoli, 1763)
Molophilus corniger Meijere, 1920
Ilisia maculata (Meigen, 1804)
Molophilus medius de Meijere, 1918
Philonthus succicola Thomson, 1860
Mompha epilobiella (Denis & Schiffermüller, 1775)
Phosphaenus hemipterus (Goeze, 1777)
Mompha Hübner, 1825
Photodes fluxa (Hübner, 1809)
Monalocoris filicis (Linnaeus, 1758)
Phtheochroa inopiana (Haworth, 1811)
Monopis Hübner, 1825

Phylidorea fulvonervosa (Schummel, 1829)
Monopis obviella (Denis & Schiffermüller, 1775)
Phyllonorycter Hübner, 1822
Mormo maura (Linnaeus, 1758)
Phylus coryli (Linnaeus, 1758)
Myopites apicatus Freidberg, 1980
Phytocoris ulmi (Linnaeus, 1758)
Myrmica Latreille, 1804
Pieridae Swainson, 1820
Mystacides azureus (Linnaeus, 1761)
Pieris mannii (Mayer, 1851)
Mythimna impura (Hübner, 1808)
Pieris rapae (Linnaeus, 1758)
Mythimna Ochsenheimer, 1816
Pilaria fuscipennis (Meigen, 1818)
Mythimna pudorina (Denis & Schiffermüller, 1775)
Plagiognathus arbustorum (Fabricius, 1794)
Mythimna straminea (Treitschke, 1825)
Plagodis pulveraria (Linnaeus, 1758)
Nacerdes carniolica (Gistel, 1834)
Platycnemis pennipes (Pallas, 1771)
Nalassus laevioctostriatus (Goeze, 1777)
Pleurophorus caesus (Creutzer, 1796)
Necrodes littoralis (Linnaeus, 1758)
Podagrica fuscicornis (Linnaeus, 1767)
Nemapogon clematella (Fabricius, 1781)
Polia nebulosa (Hufnagel, 1766)
Nemobius sylvestris (Bosc, 1792)
Polydrusus formosus (Mayer, 1779)
Neolimonia dumetorum (Meigen, 1804)
Polyommatus icarus (Rottemburg, 1775)
Nephrotoma analis (Schummel, 1833)
Prionocyphon serricornis (P.W.J. Müller, 1821)
Nephrotoma dorsalis (Fabricius, 1781)
Proxenus hospes (Freyer, 1831)
Nephrotoma flavescens (Linnaeus, 1758)
Pseudochorthippus parallelus (Zetterstedt, 1821)
Nephrotoma flavipalpis (Meigen, 1830)
Pseudolimnophila lucorum (Meigen, 1818)
Nephrotoma Meigen, 1803
Pseudoophonus rufipes (De Geer, 1774)
Neria cibaria (Linnaeus, 1758)
Psococerastis gibbosa (Sulzer, 1776)
Neuroterus numismalis (Geoffroy in Fourcroy, 1785)
Psyllopsis fraxini (Linnaeus, 1758)
Nineta flava (Scopoli, 1763)
Pterophorus pentadactyla (Linnaeus, 1758)
Noctua comes Hübner, 1813
Pterostichus anthracinus (Illiger, 1798)
Noctua fimbriata (Schreber, 1759)
Pterostichus niger (Schaller, 1783)

Noctua pronuba (Linnaeus, 1758)
Ptychoptera albimana (Fabricius, 1787)
Nola aerugula (Hübner, 1793)
Pyrausta aurata (Scopoli, 1763)
Notiophilus biguttatus (Fabricius, 1779)
Pyrausta purpuralis (Linnaeus, 1758)
Notocelia uddmanniana (Linnaeus, 1758)
Pyronia tithonus (Linnaeus, 1771)
Notodonta dromedarius (Linnaeus, 1767)
Rhagio tringarius (Linnaeus, 1758)
Notostira elongata (Geoffroy, 1785)
Rhogogaster Konow, 1884
Nycteola siculana (Fuchs, 1899)
Rhyacionia buoliana (Denis & Schiffermüller, 1775)
Nyea lurideola (Zincken, 1817)
Rivula sericealis (Scopoli, 1763)
Obolodiplosis robiniae (Haldeman, 1847)
Ruspolia nitidula (Scopoli, 1786)
Ochlodes sylvanus (Esper, 1777)
Sabra harpagula (Esper, 1786)
Ochropacha duplaris (Linnaeus, 1761)
Saperda carcharias (Linnaeus, 1758)
Ochropleura plecta (auct. non Linnaeus, 1761)
Scaeva Fabricius, 1805
Ochropleura plecta (Linnaeus, 1761)
Sciaroidea Billberg, 1820
Odonteus armiger (Scopoli, 1772)
Scopula immutata (Linnaeus, 1758)
Oecanthus pellucens (Scopoli, 1763)
Selandria serva (Fabricius, 1793)
Oedemera nobilis (Scopoli, 1763)
Selenia lunularia (Hübner, 1788)
Oedemera podagrariae (Linnaeus, 1767)
Sepedophilus Gistel, 1856
Oedipoda caerulea (Linnaeus, 1758)
Sigara Fabricius, 1775
Oedipoda caerulea caerulea (Linnaeus, 1758)
Sitona Germar, 1817
Oenopia conglobata (Linnaeus, 1758)
Sitona obsoletus (Gmelin, 1790)
Olibrus Erichson, 1845
Smaragdina salicina (Scopoli, 1763)
Olindia schumacherana (Fabricius, 1787)
Sphaerophoria rueppellii (Wiedemann, 1830)
Oncocera semirubella (Scopoli, 1763)
Sphinx ligustri Linnaeus, 1758
Oncopsis Burmeister, 1838
Stauropus fagi (Linnaeus, 1758)
Oncotylus viridiflavus (Goeze, 1778)
Stenodema laevigata (Linnaeus, 1758)
Opisthograptis luteolata (Linnaeus, 1758)

Stenurella melanura (Linnaeus, 1758)
Opomyza florum (Fabricius, 1794)
Stenus juno (Paykull, 1789)
Orchesia undulata Kraatz, 1853
Stenus picipes Stephens, 1833
Orgyia antiqua (Linnaeus, 1758)
Stromboceros delicatulus (Fallén, 1808)
Ormosia nodulosa (Macquart, 1826)
Suillia variegata (Loew, 1862)
Orthetrum cancellatum (Linnaeus, 1758)
Sylvicola Harris, 1780
Orthonotus rufifrons (Fallén, 1807)
Sympetrum sanguineum (O.F. Müller, 1764)
Orthotelia sparganella (Thunberg, 1788)
Synchita Hellwig, 1792
Osmylus fulvicephalus (Scopoli, 1763)
Tasiocera fuscescens (Lackschewitz, 1940)
Ostrinia Hübner, 1825
Temnothorax nylanderi (Förster, 1850)
Oulema Des Gozis, 1886
Tessellana tessellata (Charpentier, 1825)
Oulema gallaeciana (L.F.J.D. Heyden, 1870)
Tethea or (Denis & Schiffermüller, 1775)
Ourapteryx sambucaria (Linnaeus, 1758)
Tettigonia viridissima (Linnaeus, 1758)
Palomena prasina (Linnaeus, 1761)
Thecophora Rondani, 1845
Pandemis cerasana (Hübner, 1786)
Thyatira batis (Linnaeus, 1758)
Pandemis heparana (Denis & Schiffermüller, 1775)
Thyris fenestrella (Scopoli, 1763)
Panorpa cognata Rambur, 1842
Tipula fascipennis Meigen, 1818
Panorpa communis Linnaeus, 1758
Tipula lateralis Meigen, 1804
Panorpa germanica Linnaeus, 1758
Tipula livida livida van der Wulp, 1858
Panorpa vulgaris Imhoff & Labram, 1845
Tipula pruinosa Wiedemann, 1817
Papilio machaon Linnaeus, 1758
Tipula unca Wiedemann, 1817
Paracolax tristalis (Fabricius, 1794)
Tortrix viridana (Linnaeus, 1758)
Parapoynx stratiotata (Linnaeus, 1758)
Trachys minutus (Linnaeus, 1758)
Pararge aegeria (Linnaeus, 1758)
Trigoniophthalmus alternatus (Silvestri, 1904)
Parectropis similaria (Hufnagel, 1767)
Tritoma bipustulata Fabricius, 1775
Pasiphila chloerata (Mabille, 1870)
Trypetoptera punctulata (Scopoli, 1763)

Pasiphila rectangulata (Linnaeus, 1758)
Udea ferrugalis (Hübner, 1796)
Patania ruralis (Scopoli, 1763)
Uleiota planatus (Linnaeus, 1761)
Pechipogo strigilata (Linnaeus, 1758)
Urophora stylata (Fabricius, 1775)
Pediacus Shuckard, 1839
Vanessa cardui (Linnaeus, 1758)
Pediaspis aceris (Gmelin, 1790)
Vespa velutina Lepeletier, 1836
Pedicia Latreille, 1809
Vibidia duodecimguttata (Poda, 1761)
Pelosia muscerda (Hufnagel, 1766)
Volucella bombylans (Linnaeus, 1758)
Pemphredonidae Dahlbom, 1835
Watsonalla cultraria (Fabricius, 1775)
Pentatoma rufipes (Linnaeus, 1758)
Xyleborinus Reitter, 1913
Peribatodes rhomboidaria (Denis & Schiffermüller, 1775)
Xylota sylvarum (Linnaeus, 1758)
Peritelus sphaeroides Germar, 1823
Yponomeuta evonymella (Linnaeus, 1758)
Peritrechus geniculatus (Hahn, 1832)
Yponomeuta plumbella (Denis & Schiffermüller, 1775)
Petrophora chlorosata (Scopoli, 1763)
Zeiraphera isertana (Fabricius, 1794)
Phaonia pallida (Fabricius, 1787)
Zonocyba bifasciata (Boheman, 1851)
Philaenus spumarius (Linnaeus, 1758)
Philereme transversata (Hufnagel, 1767)
Ectobius vinzi Maurel, 2012
Collita griseola (Hübner, 1803)
Gandaritis pyraliata (Denis & Schiffermüller, 1775)
Acentria ephemerella (Denis & Schiffermüller, 1775)
Dasineura fraxini (Bremi, 1847)
Achyrolimonia decemmaculata (Loew, 1873)
Eucosma cana (Haworth, 1811)
Acleris forsskaleana (Linnaeus, 1758)
Hemerobius Linnaeus, 1758
Acleris hastiana (Linnaeus, 1758)
Crassa unitella (Hübner, 1796)
Acleris laterana (Fabricius, 1794)
Didymomyia tiliacea (Bremi, 1847)
Acleris sparsana (Denis & Schiffermüller, 1775)
Empis livida Linnaeus, 1758
Acontia lucida (Hufnagel, 1766)
Eupithecia linariata (Denis & Schiffermüller, 1775)
Acrobasis consociella (Hübner, 1813)
Gyrinus Geoffroy, 1762
Acrobasis repandana (Fabricius, 1798)
Hydrelia flammeolaria (Hufnagel, 1767)

Acrolepiopsis assectella (Zeller, 1839)
Coreus marginatus (Linnaeus, 1758)
Acronicta rumicis (Linnaeus, 1758)
Curculio glandium Marsham, 1802
Adaina microdactyla (Hübner, 1813)
Deraeocoris ruber (Linnaeus, 1758)
Adalia decempunctata (Linnaeus, 1758)
Dolycoris baccarum (Linnaeus, 1758)
Adelphocoris lineolatus (Goeze, 1778)
Elasmostethus Fieber, 1860
Adelphocoris seticornis (Fabricius, 1775)
Epiblema foenella (Linnaeus, 1758)
Aelia acuminata (Linnaeus, 1758)
Eudonia lacustrata (Panzer, 1804)
Aeshna grandis (Linnaeus, 1758)
Eusphalerum Kraatz, 1857
Agapanthia cardui (Linnaeus, 1767)
Gluphisia crenata (Esper, 1785)
Agapanthia villosoviridescens (De Geer, 1775)
Harpalus rufipes (De Geer, 1774)
Agapeta hamana (Linnaeus, 1758)
Herminia tarsipennalis Treitschke, 1835
Agathidium nigripenne (Fabricius, 1792)
Idaea biselata (Hufnagel, 1767)
Agelastica alni (Linnaeus, 1758)
Conocephalus fuscus (Fabricius, 1793)
Aglais io (Linnaeus, 1758)
Cossus cossus (Linnaeus, 1758)
Agonopterix heracliaria (Linnaeus, 1758)
Cryptocephalus imperialis Laicharting, 1781
Agrilus convexicollis Redtenbacher, 1849
Cyclophora ruficiliaria (Herrich-Schäffer, 1855)
Agrilus cuprescens (Ménétriés, 1832)
Dasypoda hirtipes (Fabricius, 1793)
Agrilus guerini Lacordaire, 1835
Diastrophus rubi (Bouché, 1834)
Agriphila straminella (Denis & Schiffermüller, 1775)
Diplocoelus fagi (Chevrolat, 1837)
Agrotis exclamationis (Linnaeus, 1758)
Dryomyza flaveola (Fabricius, 1794)
Agrotis segetum (Denis & Schiffermüller, 1775)
Eilema griseola (Hübner, 1803)
Alcis repandata (Linnaeus, 1758)
Elegia similella (Zincken, 1818)
Alucita hexadactyla (Linnaeus, 1758)
Ennomos quercinaria (Hufnagel, 1767)
Amblytylus nasutus (Kirschbaum, 1856)
Episyrrhus balteatus (De Geer, 1776)
Amphipyra berbera Rungs, 1949
Eudasyphora cyanicolor (Zetterstedt, 1845)
Amphotis marginata (Fabricius, 1781)

Eumodicogryllus bordigalensis bordigalensis (Latreille, 1804)
Anacampsis blattariella (Hübner, 1796)
Eupoecilia angustana (Hübner, 1799)
Anania hortulata (Linnaeus, 1758)
Evacanthus acuminatus (Fabricius, 1794)
Anania lancealis (Denis & Schiffermüller, 1775)
Gelechiidae Stainton, 1854
Anania stachydalis (Zincken in Germar, 1821)
Gonomyia recta Tonnoir, 1920
Anax imperator Leach, 1815
Harmandiola tremulae (Winnertz, 1853)
Ancylis laetana (Fabricius, 1775)
Hedychridium coriaceum (Dahlbom, 1854)
Ancylis obtusana (Haworth, 1811)
Hemithea aestivaria (Hübner, 1789)
Andrena afzeliella (Kirby, 1802)
Himacerus mirmicoides (O. Costa, 1834)
Andrena confinis Stöckhert, 1930
Hypomecis punctinalis (Scopoli, 1763)
Andrena Fabricius, 1775
Idaea ochrata (Scopoli, 1763)
Andrena florea Fabricius, 1793
Colocasia coryli (Linnaeus, 1758)
Andricus fecundatrix (Hartig, 1840)
Cordulegaster boltonii (Donovan, 1807)
Angerona prunaria (Linnaeus, 1758)
Cosmia pyralina (Denis & Schiffermüller, 1775)
Anisosticta novemdecimpunctata (Linnaeus, 1758)
Crambus perlellus (Scopoli, 1763)
Anoplotrupes stercorosus (Hartmann in Scriba, 1791)
Crepidodera aurea (Geoffroy, 1785)
Anotylus rugosus (Fabricius, 1775)
Ctenophora ornata Meigen, 1818
Anthidium oblongatum (Illiger, 1806)
Cyclophora linearia (Hübner, 1799)
Anthidium septemspinosum Lepeletier, 1841
Cydia splendana (Hübner, 1799)
Anthomyia Meigen, 1803
Dasineura ulmaria (Bremi, 1847)
Antocha vitripennis (Meigen, 1830)
Deilephila elpenor (Linnaeus, 1758)
Apamea epomidion (Haworth, 1809)
Diachrysia chrysitis (Linnaeus, 1758)
Apamea lithoxylaea (Denis & Schiffermüller, 1775)
Dicranophragma separatum (Walker, 1848)
Apamea scolopacina (Esper, 1788)
Dioctria cothurnata Meigen, 1820
Apatura ilia (Denis & Schiffermüller, 1775)
Ditropis pteridis (Spinola, 1839)
Aphantopus hyperantus (Linnaeus, 1758)
Drepana falcataria (Linnaeus, 1758)

Aphidecta oblitterata (Linnaeus, 1758)
Earias clorana (Linnaeus, 1761)
Aphrophora alni (Fallén, 1805)
Eilema complana (Linnaeus, 1758)
Apionini Schönherr, 1823
Elaphria venustula (Hübner, 1790)
Apis mellifera Linnaeus, 1758
Elasmostethus minor Horváth, 1899
Apoda limacodes (Hufnagel, 1766)
Ellipteroides lateralis (Macquart, 1835)
Apoderus coryli (Linnaeus, 1758)
Endotricha flammealis (Denis & Schiffermüller, 1775)
Apotomis betuletana (Haworth, 1811)
Epagoge grotiana (Fabricius, 1781)
Aradus depressus (Fabricius, 1794)
Epiphragma ocellare (Linnaeus, 1761)
Araschnia levana (Linnaeus, 1758)
Eucallipterus tiliae (Linnaeus, 1758)
Arboridia Zachvatkin, 1946
Eucosma Hübner, 1823
Archips podana (Scopoli, 1763)
Eudemis profundana (Denis & Schiffermüller, 1775)
Archips xylosteana (Linnaeus, 1758)
Euglenes Westwood, 1830
Argynnis paphia (Linnaeus, 1758)
Eupithecia haworthiata Doubleday, 1856
Argyresthia brockeella (Hübner, 1813)
Eupithecia tripunctaria Herrich-Schäffer, 1852
Aricia agestis (Denis & Schiffermüller, 1775)
Eupteryx aurata (Linnaeus, 1758)
Aritranis director (Thunberg, 1824)
Euura proxima (Audinet-Serville, 1823)
Arma custos (Fabricius, 1794)
Falcaria lacertinaria (Linnaeus, 1758)
Arthaldeus Ribaut, 1946
Gastracanthus pulcherrimus Westwood, 1833
Astenus immaculatus Stephens, 1833
Geometra papilionaria (Linnaeus, 1758)
Asthena albulata (Hufnagel, 1767)
Gonepteryx rhamni (Linnaeus, 1758)
Athous bicolor (Goeze, 1777)
Graphosoma italicum (O.F. Müller, 1766)
Athous Eschscholtz, 1829
Halictus scabiosae (Rossi, 1790)
Athrips mouffetella (Linnaeus, 1758)
Harmonia axyridis f. succinea Hope, 1845
Aulops alpina (Rambur, 1842)
Hartigiola annulipes (Hartig, 1839)
Austrolimnophila ochracea (Meigen, 1804)
Helius hispanicus Lackschewitz, 1928
Axinotarsus pulicarius (Fabricius, 1777)

Hemipenthes morio (Linnaeus, 1758)
Axinotarsus ruficollis (Olivier, 1790)
Herminia grisealis (Denis & Schiffermüller, 1775)
Axylia putris (Linnaeus, 1761)
Heterogaster urticae (Fabricius, 1775)
Baccha elongata (Fabricius, 1775)
Hoplitis adunca (Panzer, 1798)
Batia lunaris (Haworth, 1828)
Hydrometra stagnorum (Linnaeus, 1758)
Beris morrisii Dale, 1841
lassus Ianio (Linnaeus, 1761)
Bertkauia lucifuga (Rambur, 1842)
Idaea fuscovenosa (Goeze, 1781)
Biston betularia (Linnaeus, 1758)
Idaea trigeminata (Haworth, 1809)
Bitoma crenata (Fabricius, 1775)
Colobopsis truncata (Spinola, 1808)
Blastobasis Zeller, 1855
Colymbetes fuscus (Linnaeus, 1758)
Bolitophagus reticulatus (Linnaeus, 1767)
Conomelus anceps (Germar, 1821)
Bombus campestris (Panzer, 1800)
Coremacera marginata (Fabricius, 1775)
Bombus hortorum (Linnaeus, 1761)
Corticeus unicolor Piller & Mitterpacher, 1783
Bombus lapidarius (Linnaeus, 1758)
Cosmia trapezina (Linnaeus, 1758)
Bombus Latreille, 1802
Crambus lathoniellus (Zincken, 1817)
Bombus lucorum (Linnaeus, 1761)
Craneiobia corni (Giraud, 1863)
Bombus pascuorum (Scopoli, 1763)
Crepidodera aurata (Marsham, 1802)
Bombus pratorum (Linnaeus, 1761)
Crocallis elinguaris (Linnaeus, 1758)
Bombus sylvarum (Linnaeus, 1761)
Cryptocephalus moraei (Linnaeus, 1758)
Bombus terrestris (Linnaeus, 1758)
Cucullia scrophulariae (Denis & Schiffermüller, 1775)
Bombus vestalis (Geoffroy in Fourcroy, 1785)
Cyclophora annularia (Fabricius, 1775)
Brachmia blandella (Fabricius, 1798)
Cyclophora punctaria (Linnaeus, 1758)
Brachylomia viminalis (Fabricius, 1777)
Cydia fagiglandana (Zeller, 1841)
Brachypalpoides lentus (Meigen, 1822)
Cynipoidea Latreille, 1802
Byturus tomentosus (De Geer, 1774)
Dasineura Rondani, 1840
Cabera pusaria (Linnaeus, 1758)
Dasineura urticae (Perris, 1840)

Caecilius fuscopterus (Latreille in Coquebert, 1799)
Dasytes plumbeus (O.F. Müller, 1776)
Calliteara pudibunda (Linnaeus, 1758)
Deltote pygarga (Hufnagel, 1766)
Callopietria juvenina (Stoll in Cramer, 1782)
Diachromus germanus (Linnaeus, 1758)
Calvia decemguttata (Linnaeus, 1767)
Diaperis boleti (Linnaeus, 1758)
Calvia quatuordecimguttata (Linnaeus, 1758)
Dichomeris alacella (Zeller, 1839)
Calvia quindecimguttata (Fabricius, 1777)
Dictyla humuli (Fabricius, 1794)
Cameraria ohridella Deschka & Dimić, 1986
Digitivalva pulicariae (Klimesch, 1956)
Cameraria ohridella Deschka & Dimić, 1986
Dioctria linearis (Fabricius, 1787)
Camptogramma bilineata (Linnaeus, 1758)
Diplolepis rosae (Linnaeus, 1758)
Camptopus lateralis (Germar, 1817)
Ditula angustiorana (Haworth, 1811)
Campyloneura virgula (Herrich-Schäffer, 1835)
Dorcus parallelipipedus (Linnaeus, 1758)
Cantharis lateralis Linnaeus, 1758
Dryocosmus kuriphilus Yasumatsu, 1951
Capsus ater (Linnaeus, 1758)
Dryophilocoris flavoquadrimaculatus (De Geer, 1773)
Carabus auronitens auronitens Fabricius, 1792
Ecliptopera silaceata (Denis & Schiffermüller, 1775)
Carabus auronitens Fabricius, 1792
Ectropis crepuscularia (Denis & Schiffermüller, 1775)
Caradrina morpheus (Hufnagel, 1766)
Eilema depressa (Esper, 1787)
Carcharodus alceae (Esper, 1780)
Eilema lurideola (Zincken, 1817)
Carcina quercana (Fabricius, 1775)
Elaphrus cupreus Duftschmid, 1812
Catocala promissa (Denis & Schiffermüller, 1775)
Elasmotherus interstinctus (Linnaeus, 1758)
Catoptria europaeica Błeszyński, 1965
Elasmucha grisea (Linnaeus, 1758)
Catoptria falsella (Denis & Schiffermüller, 1775)
Ellipteroides alboscuteellatus (von Roser, 1840)
Catoptria Hübner, 1825
Emmesomyia socia (Fallén, 1825)
Catoptria pinella (Linnaeus, 1758)
Enargia paleacea (Esper, 1788)
Catoptria verellus (Zincken, 1817)
Ennomos erosaria (Denis & Schiffermüller, 1775)
Celastrina argiolus (Linnaeus, 1758)
Enochrus melanocephalus (Olivier, 1793)
Celypha striana (Denis & Schiffermüller, 1775)

Ephemera glaucops Pictet, 1843
Ceratina chalybea Chevrier, 1872
Epinotia solandriana (Linnaeus, 1758)
Ceratina cyanea (Kirby, 1802)
Epirrhoe alternata (O.F. Müller, 1764)
Cercyon laminatus Sharp, 1873
Erioptera limbata Loew, 1873
Cerylon ferrugineum Stephens, 1830
Euchoeca nebulata (Scopoli, 1763)
Cerylon Latreille, 1802
Eucosma conterminana (Guenée, 1845)
Cetonia aurata (Linnaeus, 1758)
Eucosma obumbratana (Lienig, 1846)
Ceutorhynchus obstrictus (Marsham, 1802)
Eudemis porphyra (Hübner, 1799)
Ceutorhynchus pallidactylus (Marsham, 1802)
Eudonia Billberg, 1820
Chalcidoidea Latreille, 1817
Eudonia mercurella (Linnaeus, 1758)
Charagochilus gyllenhali (Fallén, 1807)
Eulithis prunata (Linnaeus, 1758)
Chiasmia clathrata (Linnaeus, 1758)
Eupithecia Curtis, 1825
Chloroclystis v-ata (Haworth, 1809)
Eupithecia inturbata (Hübner, 1817)
Chlorophanus viridis (Linnaeus, 1758)
Eupithecia pulchellata Stephens, 1831
Chloropidae Rondani, 1856
Euplexia lucipara (Linnaeus, 1758)
Chorthippus albomarginatus (De Geer, 1773)
Eupterycyba jucunda (Herrich-Schäffer, 1837)
Chorthippus biguttulus (Linnaeus, 1758)
Eupteryx Curtis, 1833
Chorthippus brunneus (Thunberg, 1815)
Euthrix potatoria (Linnaeus, 1758)
Chorthippus dorsatus (Zetterstedt, 1821)
Euzophera pinguis (Haworth, 1811)
Chrysochraon dispar (Germar, 1834)
Exocentrus adpersus Mulsant, 1846
Chrysocrambus linetella (Fabricius, 1781)
Forficula auricularia Linnaeus, 1758
Chrysogaster solstitialis (Fallén, 1817)
Gasterocercus depressirostris (Fabricius, 1792)
Chrysolina americana (Linnaeus, 1758)
Gelechia muscosella Zeller, 1839
Chrysolina fastuosa (Scopoli, 1763)
Gelechiinae Stainton, 1854
Chrysolina Motschulsky, 1860
Geomyza Fallén, 1810
Chrysolina varians (Schaller, 1783)
Gomphocerippus rufus (Linnaeus, 1758)

Chrysoperla carnea (Stephens, 1836)
Gonomyia abbreviata Loew, 1873
Chrysopilus asiliformis (Preyssler, 1791)
Grapholita compositella (Fabricius, 1775)
Chrysopilus cristatus (Fabricius, 1775)
Graphosoma italicum italicum (O.F. Müller, 1766)
Chrysops caecutiens (Linnaeus, 1758)
Haematopota pluvialis (Linnaeus, 1758)
Chrysoteuchia culmella (Linnaeus, 1758)
Halyzia sedecimguttata (Linnaeus, 1758)
Chrysoteuchia Hübner, 1825
Harmonia axyridis (Pallas, 1773)
Cicadella viridis (Linnaeus, 1758)
Harpalus affinis (Schrank, 1781)
Cicadellidae Latreille, 1802
Harpella forficella (Scopoli, 1763)
Cilix glaucata (Scopoli, 1763)
Hedya ochroleucana (Frölich, 1828)
Cixius cunicularius (Linnaeus, 1767)
Helius flavus (Walker, 1856)
Cixius nervosus (Linnaeus, 1758)
Hemerobius humulinus Linnaeus, 1758
Clanoptilus elegans (Olivier, 1790)
Hemerobius micans Olivier, 1792
Clivina fossor (Linnaeus, 1758)
Hemistola chrysoprasaria (Esper, 1795)
Closterotomus norwegicus (Gmelin, 1790)
Hermaphysa mercurialis (Fabricius, 1792)
Closterotomus ventralis (Reuter, 1879)
Herminia tarsicrinalis (Knoch, 1782)
Clytra laeviuscula Ratzeburg, 1837
Heterarthrus Stephens, 1835
Cnepharia Curtis, 1826
Heterotoma planicornis (Pallas, 1772)
Coccinella septempunctata Linnaeus, 1758
Homoeosoma sinuella (Fabricius, 1794)
Cochylis hybridella (Hübner, 1813)
Hoplodrina octogenaria (Goeze, 1781)
Coenagrion puella (Linnaeus, 1758)
Hydriomena furcata (Thunberg & Borgström, 1784)
Coenonympha pamphilus (Linnaeus, 1758)
Hypena proboscidalis (Linnaeus, 1758)
Coleophora flavipennella (Duponchel, 1843)
lassus Fabricius, 1803
Coleophora Hübner, 1822
Idaea aversata (Linnaeus, 1758)
Coleophora mayrella (Hübner, 1813)
Idaea dimidiata (Hufnagel, 1767)
Coleophora trifolii (Curtis, 1832)
Idaea humiliata (Hufnagel, 1767)
Colias crocea (Geoffroy in Fourcroy, 1785)

Idaea rusticata (Denis & Schiffermüller, 1775)
Colletes daviesanus Smith, 1846
Acanthosoma haemorrhoidale (Linnaeus, 1758)
Colletes similis Schenck, 1853
Lichens
Protoparmeliopsis muralis (Schreb.) M.Choisy, 1929
Parmotrema perlatum (Huds.) M.Choisy, 1952
Ramalina fastigiata (Pers.) Ach., 1810
Fungi R.T.Moore, 1980
Parmotrema reticulatum (Taylor) M.Choisy, 1952
Lecanoromycetes O.E.Erikss. & Winka, 1997
Protoparmeliopsis muralis var. muralis (Schreb.) M.Choisy, 1929
Lecidella elaeochroma (Ach.) M.Choisy, 1950
Flavoparmelia soledians (Nyl.) Hale, 1986
Parmelia sulcata Taylor, 1836
Mammifères
Pipistrellus pipistrellus (Schreber, 1774)
Myotis Kaup, 1829
Vulpes vulpes (Linnaeus, 1758)
Cervidae Goldfuss, 1820
Pipistrellus kuhlii (Natterer in Kuhl, 1817)
Eptesicus serotinus (Schreber, 1774)
Sus scrofa Linnaeus, 1758
Lepus europaeus Pallas, 1778
Capreolus capreolus (Linnaeus, 1758)
Meles meles (Linnaeus, 1758)
Mousses
Orthotrichum Hedw., 1801
Atrichum undulatum (Hedw.) P.Beauv., 1805
Polytrichum Hedw., 1801
Calliergonella cuspidata (Hedw.) Loeske, 1911
Mnium hornum Hedw., 1801
Fissidens Hedw., 1801
Plagiomnium undulatum (Hedw.) T.J.Kop., 1968
Grimmia pulvinata (Hedw.) Sm., 1807
Thamnobryum alopecurum (Hedw.) Gangulee
Hypnum cupressiforme Hedw., 1801
Kindbergia praelonga (Hedw.) Ochyra, 1982
Myriapodes
Henia vesuviana (Newport, 1844)
Glomeris intermedia Latzel, 1884
Tachypodoiulus niger (Leach, 1814)
Cylindroiulus punctatus (Leach, 1815)
Glomeris marginata (Villers, 1789)
Cylindroiulus punctatus (Leach, 1816)
Proteroiulus fuscus (Am Stein, 1857)
Geophilus carpophagus Leach, 1815
Blaniulus guttulatus (Fabricius, 1798)
Geophilus carpophagus Leach, 1816

Oiseaux
Poecile palustris (Linnaeus, 1758)
Turdus philomelos C. L. Brehm, 1831
Streptopelia turtur (Linnaeus, 1758)
Alauda arvensis Linnaeus, 1758
Passer domesticus (Linnaeus, 1758)
Anas platyrhynchos Linnaeus, 1758
Pyrrhula pyrrhula europaea Vieillot, 1816
Apus apus (Linnaeus, 1758)
Sylvia borin (Boddaert, 1783)
Buteo buteo (Linnaeus, 1758)
Oriolus oriolus (Linnaeus, 1758)
Carduelis carduelis (Linnaeus, 1758)
Phylloscopus collybita (Vieillot, 1817)
Certhia brachydactyla C.L. Brehm, 1820
Psittacula krameri (Scopoli, 1769)
Columba oenas Linnaeus, 1758
Saxicola rubicola (Linnaeus, 1766)
Columba palumbus Linnaeus, 1758
Sturnus vulgaris Linnaeus, 1758
Corvus corone Linnaeus, 1758
Troglodytes troglodytes (Linnaeus, 1758)
Coturnix coturnix (Linnaeus, 1758)
Motacilla alba Linnaeus, 1758
Cyanistes caeruleus (Linnaeus, 1758)
Parus major Linnaeus, 1758
Delichon urbicum (Linnaeus, 1758)
Pernis apivorus (Linnaeus, 1758)
Dendrocopos major (Linnaeus, 1758)
Picus viridis Linnaeus, 1758
Dryocopus martius (Linnaeus, 1758)
Prunella modularis (Linnaeus, 1758)
Erithacus rubecula (Linnaeus, 1758)
Pyrrhula pyrrhula (Linnaeus, 1758)
Falco tinnunculus Linnaeus, 1758
Regulus Cuvier, 1800
Fringilla coelebs Linnaeus, 1758
Sitta europaea Linnaeus, 1758
Gallinula chloropus (Linnaeus, 1758)
Strix aluco Linnaeus, 1758
Garrulus glandarius (Linnaeus, 1758)
Sylvia atricapilla (Linnaeus, 1758)
Hirundo rustica Linnaeus, 1758
Sylvia communis Latham, 1787
Linaria cannabina (Linnaeus, 1758)
Turdus merula Linnaeus, 1758
Lophophanes cristatus (Linnaeus, 1758)
Aegithalos caudatus (Linnaeus, 1758)
Milvus migrans (Boddaert, 1783)
Poissons

Perca fluviatilis Linnaeus, 1758
Lepomis gibbosus (Linnaeus, 1758)
Ptéridophytes
Pteridium aquilinum (L.) Kuhn, 1879
Equisetum arvense L., 1753
Asplenium scolopendrium L., 1753
Athyrium filix-femina (L.) Roth, 1799
Equisetum telmateia Ehrh., 1783
Dryopteris carthusiana (Vill.) H.P.Fuchs, 1959
Pteridium aquilinum subsp. aquilinum (L.) Kuhn, 1879
Dryopteris dilatata (Hoffm.) A.Gray, 1848
Dryopteris filix-mas (L.) Schott, 1834
Reptiles
Zootoca vivipara (Lichtenstein, 1823)
Podarcis muralis (Laurenti, 1768)
Anguis fragilis Linnaeus, 1758
Anguis Linnaeus, 1758